Journal of Pharmaceutical Sciences

A publication of the American Pharmaceutical Association

INDEX TO AUTHORS
INDEX TO SUBJECTS

VOLUME 58
JANUARY TO DECEMBER, 1969

Published monthly under the supervision of the
Committee on Publications with the approval of the Board of Trustees

EDWARD G. FELDMANN
Editor

MARY HUDSON FERGUSON
Associate Editor

SYLVIA R. SLOANE
Production Editor

L. LUAN CORRIGAN
Contributing Editor
DURWARD F. DODGEN
Contributing Editor
SAMUEL W. GOLDSTEIN
Contributing Editor
LINDA A. LAFONTAINE
Contributing Editor

COMMITTEE ON PUBLICATIONS

ROBERT C. JOHNSON
Chairman
WILLIAM S. APPLE
GROVER C. BOWLES, JR.
CLIFTON LATIOLAIS
JOHN H. NEUMANN

EDITORIAL ADVISORY BOARD

JOSEPH P. BUCKLEY
JACK COOPER
EDWARD R. GARRETT
W. LEWIS NOBLES
GORDON H. SVOBODA
JOSEPH V. SWINTOSKY

© Copyright 1969 by the American Pharmaceutical Association

Author Index

A

Abou-Zeid, Y. M., *see* El-Basil, S., 907
——*see* Ossman, A. E., 1295
Abraham, D. J., and Farnsworth, N. R., structure elucidation and chemistry of *Catharanthus* alkaloids III: structure of leurosine, an active anticancer alkaloid, 694
Adams, J. G., D'Aquila, L., and Malone, M. H., serotonin levels in acute experimental ascariasis, 279
Adams, R. N., applications of modern electroanalytical techniques to pharmaceutical chemistry, 1171
Agarwal, S. P., and Blake, M. I., analysis of certain phenothiazines and their dosage forms by photometric titration with ceric sulfate, 1011
Ager, J. H., and May, E. L., new compounds: oxazolidines and derived amino alcohols, 499
Aguiar, A. J., and Weiner, M. A., percutaneous absorption studies of chloramphenicol solutions, 210
——and Zelmer, J. E., dissolution behavior of polymorphs of chloramphenicol palmitate and mefenamic acid, 983
——dilatometric behavior of polymorphic forms of chloramphenicol palmitate, 963
Agurell, S., Lundstrom, J., and Masoud, A., cactaceae alkaloids VII: alkaloids of *Echinocereus merkeri*, 1413
Albers, J. E., *see* Sullivan, G., 887
Allen, D. J., and Kwan, K. C., determination of the degree of crystallinity in solid-solid equilibria, 1190
Allen, L. M., and Roscoe, C. W., studies on aryl boronic acids: synthesis of naphthalene-1,4-diboronic acid, 368
Alphin, R. S., Vocac, J. A., Saunders, D., and Ward, J. W., effects of some lignosulfonates on sweat gland activity, 902
Ambrosio, L., *see* Wall, M. E., 839
Amsel, L. P., and Levy, G., drug biotransformation interactions in man II: a pharmacokinetic study of the simultaneous conjugation of benzoic and salicylic acids with glycine, 321
——*see* Levy, G., 503
——*see* Levy, G., 827
Anderson, A. S., *see* Brown, K. F., 1393
Anderson, J. C., and Boyce, G. M., interaction of sodium erythrosin and polyvinylpyrrolidone, 1425
——*see* Foye, W. O., 1558
Anderson, L. J., *see* Martin, A. R., 340
Andrus, W. G., Jr., *see* Wells, J. N., 1553
Anello, J. A., and Levy, G., effect of complex formation on drug absorption X: effect of polysorbate 80 on the permeability of biologic membranes, 721
——*see* Levy, G., 494
Ansel, H. C., Norred, W. P., and Roth, I. L., antimicrobial activity of dimethyl sulfoxide against *Escherichia coli*, *Pseudomonas aeruginosa* and *Bacillus megaterium*, 836
Araujo, O. E., *see* Kibbe, A. H., 714
Arcuri, P. A., and Mann, D. E., Jr., effect of sodium fluoride and/or sodium iodate on blood sugar response to thiopental in the fasted rabbit, 260
Arnett, W. A., *see* Gainer, F. E., 1548
Arrigoni, E., *see* Benzi, G., 885
——*see* Benzi, G., 1161
Arya, V. P., Grewal, R. S., Kaul, C. L., Ghate, S. P., Mehta, D. V., and George, T., antihypertensive agents II: synthesis and hypotensive activity of certain 1,4,5-trisubstituted pyrazoles, 432
Auerbach, R., *see* Orentreich, N., 1279
Autian, J., *see* Powell, D., 842

B

Bacher, F. A., *see* Polli, G. P., 484
Bafna, S. L., *see* Kanhere, S. S., 1550
Banker, G. S., *see* Heyd, A., 586
——*see* Powell, D. R., 1335
Barfknecht, C. F., and Westby, T. R., conformationally and configurationally stabilized benzaldoxime, 490
Barr, M., *see* Kamienny, F. M., 1318
Barry, H., III, *see* Buckley, J. P., 348
Bates, T. R., Lambert, D. A., and Johns, W. H., correlation between the rate of dissolution and absorption of salicylamide from tablet and suspension dosage forms, 1468
——*see* Johns, W. H., 179
——*see* Stoll, R. G., 1457
Baun, D. C., and Walker, G. C., apparatus for determining the rate of drug release from solid dosage forms, 611
Baxter, T. H., and Kostenbauder, H. B., influence of the state of molecular aggregation on the enzymic hydrolysis of arylsulfate esters, 33
Beamer, R. L., Belding, R. H., and Fickling, C. S., stereospecific hydrogenations III: palladium - on - poly - γ - benzyl - *S*-glutamate and palladium-on-poly-β-benzyl-*S*-aspartate, 1142
——Belding, R. H., and Fickling, C. S., stereospecific hydrogenations IV: palladium-on-poly-*S*-valine and palladium-on-poly-*S*-leucine, 1419
Beauchamp, R. O., Jr., *see* Darling, C. M., 362
Becker, B. A., *see* Harbison, R. D., 183
Bej, A. J., *see* Sam, J., 500
Belcastro, P. F., *see* Schoenwald, R. D., 930
Belding, R. H., *see* Beamer, R. L., 1142
——*see* Beamer, R. L., 1419
Bellare, R. A., *see* Kulkarni, B. S., 852
Benet, L. Z., and Ronfeld, R. A., volume terms in pharmacokinetics, 639
Benoit, P. S., Katz, N. L., Mintz, M. R., and Jenkins, H. J., evaluation of antispasmodic and related activity in the intact dog, 225
Benzi, G., Arrigoni, E., Ferrara, A., and Mascherpa, P., action of adenosine triphosphate on the depressed spontaneous electrical activity of the dog cerebral cortex, 1161
——Berté, F., Arrigoni, E., and Manzo, L., study of the cerebral metabolizing activity in the newborn dog utilizing the isolated perfused brain *in situ* technique, 885
Berger, R. A., *see* Orentreich, N., 1279
Bernardo, P. D., and Russo, E. J., pharmaceutical sciences—1968 a literature review of pharmaceutics, 777
Berté, E., *see* Benzi, G., 885
Bhandari, P. R., and Walker, H., thin-layer and gas-liquid chromatography of some indanol derivatives of pharmaceutical interest, 880
Bhansali, K. G., Clifton, J. A., and Lach, J. L., quantitative determination of deoxyribonucleic acid (DNA) in normal and abnormal human liver, 1036
Bhargava, P. N., and Chaurasia, M. R., new local anesthetics: derivatives of 5-diethylaminoacetamido - 2 - arylimino - 3 - aryl-4-thiazolidones, 896
Bhat, C. V., *see* Kanhere, S. S., 1550
Bhatti, M. C., Shaw, S. M., Christian J. E., and Miya, T. S., determination of calcium retention in the rat by whole-body liquid scintillometry, 502
Bianchi, E., and Cole, J. R., antitumor agents from *Agave schottii* (amaryllidaceae), 589
——*see* Cole, J. R., 175
Bican-Fister, T., *see* Tuckerman, M. M., 1014
——*see* Tuckerman, M. M., 1401
Billman, J. H., Koehler, F., and May, R., *N*-substituted-2-amino-2-methyl-1-propanols as potential antitumor agents, 767
Billups, N. F., *see* Doluisio, J. T., 1196
——*see* Doluisio, J. T., 1200
Birner, J., determination of total steroid bases in *Solanum* species, 258
Bishop, D. L., *see* Jones, P. H., 337
Blake, M. K., *see* Agarwal, S. P., 1011
Bloch, A., *see* Murray, D. H., 1275
Blois, D. W., *see* Munden, J. W., 1308
Blomster, R. N., *see* Kim, H. K., 372
Bolton, S., calculations of release rates from sustained-release dosage forms using the Wiley method, 1287
Bonkoski, S., and Perrin, J. H., the critical micelle concentration of L-*N*-decyl-*N*-*N*-dimethylalanine hydrobromide from circular dichroism measurements, 1428
Boice, R., Seidman, M., and Southworth, B. C., quantitative determination of furazolidone and nifuroxime in a water-soluble suppository base, 1527
Boots, M. R., and Boots, S. C., conformational aspects of local anesthetics, 553
Boots, S. C., *see* Boots, M. R., 553
Bowden, K., the biogenesis of gramine, 1429
Bowman, F. W., microbial contamination of antibiotic ophthalmic ointments, 277
——the sterility testing of pharmaceuticals, 1301
Boxenbaum, H. G., *see* Kostenbauder, H. B., 753
Boyce, G. M., *see* Anderson, J. C., 1425
Brady, L. R., *see* Hatfield, G. M., 1298
Braun, G. A., *see* Cressman, W. A., 1516
Brochmann-Hanssen, E., and Oke, T. O., gas chromatography of barbiturates, phenolic alkaloids, and xanthine bases: flash-heater methylation by means of trimethylanilinium hydroxide, 370
Brown, K. F., Guttman, D. E., and Anderson, A. S., interference by surface-active agents with the 4-aminoantipyrine determination of hexachlorophene and other phenols, 1393
Brown, M., and Leeson, L. J., protection of oxygen-sensitive pharmaceuticals with nitrogen, 242
Buchalter, L., identification of monomeric and polymeric 5,7,3′,4′-tetrahydroxyflavan-3,4-diol from tannin extract of wild cherry bark USP, *Prunus serotina* Erhart, family Rosaceae, 1272
——isolation and identification of emodin (1,3,8-tri-hydroxy-6-methyl anthraquinone) from *Rumex hymenosepalus*, family Polygonaceae, 904
Buckley, J. P., Solaro, R. J., and Barry, H., III, effects of phenformin HCl on rats subjected to simulated high altitude, 348
Budavari, S., *see* Urbanyi, T., 905
Burckhalter, J. H., *see* Sinsheimer, J. E., 1041
Burger, J. M., Pisano, F. D., and Nash, R. A., colorimetric determination of ethambutol, 110; erratum, 1569
Burnett, C. M., Opdyke, D. L., and Munch, J. C., chlorisondamine stabilization of pressor bioassays in dogs, 1417

C

Cadwallader, D. E., and Phillips, J. R., behavior of erythrocytes in various solvent systems V: water-lipid amides, 1220

——and Ul-Islam, Q., urea as a tableting agent for benzalkonium chloride, 238
Caiola, S. M., *see* Notari, R. E., 1203
Campaigne, E., and Dinner, A., improved synthesis of the sulfur analog of serotonin (SAS), 892
Cannon, G., *see* Kabasakalian, P., 45
Carr, M., *see* Kadaba, P. K., 1422
Carrera, E. S., *see* Fernandez, A. A., 443
Carrigan, P. J., *see* Kulkarni, A. B., 481
Carstensen, J. T., Osadca, M., and Rubin, S. H., degradation mechanisms for water-soluble drugs in solid dosage forms, 549
Carter, E. R., *see* Whitworth, C. W., 1285
Castagnoli, N., Jr., Melikian, A. P., and Rosnati, V., the synthesis of pyrrolidine-substituted nicotine analogs, 860
Castleden, J. A., phospholipid cell-membrane models, 149
Chau, T. T., and Haley, T. J., flavonoid antagonism of the spasmogenic effect of angiotensin, bradykinin, and eledoisin on guinea pig ileum, 621
Chaubal, M. G., *see* Sanvordeker, D. R., 1213
Chaudhari, B. B., synthesis of potential hypolipidemic agents, 366
Chaurasia, M. R., *see* Bhargava, P. N., 896
Chheda, G. B., Mittelman, A., and Grace, J. T., Jr., nucleosides in human urine I: isolation and identification of N_2-dimethylguanosine, 1-methylinosine, and N_2-methylguanosine from normal human urine, 75
Chiang, H. C., and Tseng, R. G., polyamide-kieselguhr thin-layer chromatography of antioxidants, 1552
Chin, L., Picchioni, A. L., and Duplisse, B. R., comparative antidotal effectiveness of activated charcoal, Arizona montmorillonite, and evaporated milk, 1353
Chiou, C. Y., and Long, J. P., bioassay of endogenous acetylcholine released by acetylcholine releasers, 1168
Chiou, W. L., and Riegelman, S., disposition kinetics of griseofulvin in dogs, 1500
——and Riegelman, S., preparation and the dissolution characteristics of several fast-release solid dispersions of griseofulvin, 1505
Chong, C. W., *see* Dittert, L. W., 557
Christensen, H. D., Flesher, A. M., and Haley, T. J., changes in brain self-stimulation rates after exposure to X-irradiation, 128
Christian, J. E., *see* Bhatti, M. C., 502
——*see* Seno, S., 134
——*see* Seno, S., 935
——*see* Spitznagle, L. A., 1234
Chun, A. H. C., *see* Jones, P. H., 337
Cieri, U. R., detection of contamination of pharmaceutical preparations with foreign active ingredients, 1532
Clifton, J. A., *see* Bhansali, K. G., 1036
Cohen, M. L., and Nieforth, K. A., *in vitro* effect of some chemicals on histaminopexy II: quantification and potentiation of histaminopexy, 97
Colaizzi, J. L., and Klink, P. R., pH-partition behavior of tetracyclines, 1184
Coldman, M. F., Poulsen, B. J., and Higuchi, T., enhancement of percutaneous absorption by the use of volatile: non-volatile systems as vehicles, 1098
Cole, J. R., Bianchi, E., and Trumbull, E. R., antitumor agents from *Bursera microphylla* (Burseraceae) II: isolation of a new lignan-burseran, 175
——*see* Bianchi, B., 589
——*see* Trumbull, E. R., 176
Colvin, L. B., metabolic fate of hydrazines and hydrazides, 1433
Conklin, J. D., Sobers, R. J., and Wagner, D. L., urinary drug excretion in dogs during therapeutic doses of different nitrofurantoin dosage forms, 1365
Connors, K. A., *see* Sun, S. R., 1150
Contractor, A. M., *see* Manudhane, K. S., 616
Cook, D., *see* Neville, G. A., 636
Cooper, A., and Duax, W. L., structure and conformation of the cortisone side chain, 1159
Cooper, G. A., *see* Runkel, R. A., 582
Corona, G. L., *see* Facino, R. M., 764
Courville, N. D., *see* Eickholt, T. H., 1289
Coutts, R. T., and Locock, R. A., the $(M-43)^+$ ion in the mass spectra of some medicinal barbiturates, 775
——and Midha, K. K., transesterification using hydrogen bromide in diethyl ether—a means of identifying components of mixtures of fatty esters, 949
Cox, P. L., Heotis, J. P., Polin, D., and Rose, G. M., quantitative determination of dantrolene sodium and its metabolites by differential pulse polarography, 987
Crane, F. A., *see* Solomon, M. J., 264
——*see* Wu Chu, B. L., 1073
Cressman, W. A., Janicki, C. A., Johnson, P. C., Doluisio, J. T., and Braun, G. A., *in vitro* dissolution rates of aminorex dosage forms and their correlation with *in vivo* availability, 1516
——Sugita, E. T., Doluisio, J. T., and Niebergall, P. J., cupric ion-catalyzed hydrolysis of penicillins: mechanism and site of complexation, 1471
Crew, M. C., *see* DiCarlo, F. J., 960
Cripps, G. W., *see* Rosenbluth, S. A., 440
Cronk, D. H., *see* Morgan, L. W., 942
Crossley, H. L., DeFeo, J. J., and DeFanti, D. R., effect of sodium diethyldithiocarbamate (DDC) on renal hypertension in rats, 1481
Crounse, R. G., antidermatophytic properties of griseofulvin derivatives with potential systemic insect-repellent activity, 1022
Cullen, L. F., Heckman, L. J., and Papariello, G. J., an automated colorimetric method for the determination of meprobamate and other *N*-unsubstituted carbamates in pharmaceutical products, 1537
Cummins, L. M., and Perry, J. E., spectrophotometric determination of pemoline and mandelic acid in biological fluids, 762
Cutie, A. J., and Sciarrone, B. J., re-evaluation of pH and tonicity of pharmaceutical buffers at 37°, 990

D

Dalrymple, B. A., and Kenner, C. T., determination of calcium in pharmaceutical preparations by atomic absorption spectrometry, 604
Danna, L. J., *see* Eickholt, T. H., 1289
D'Aquila, L., *see* Adams, J. G., 279
Darling, C. M., and Beauchamp, R. O., Jr., novel synthesis of 5-chloropropyl- and 5-chlorobutyl-2-oxazolidinones, 362
Davis, K., *see* Wall, M. E., 839
Davis, S. S., *see* Higuchi, T., 661
——viscoelastic properties of pharmaceutical semisolids I: ointment bases, 412
——viscoelastic properties of pharmaceutical semisolids II: creams, 418
Decato, L., Jr., Malone, M. H., Stoll, R. G., and Nieforth, K. A., bile acid enhancement of reserpine-induced blepharoptosis, 273
de Fabrizio, F., fluorometric determination of dihydrostreptomycin in a complex pharmaceutical suspension after separation by alginic acid, 136
DeFanti, D. R., *see* Crossley, H. L., 1481
DeFeo, J. J., *see* Crossley, H. L., 1481
Delduce, A. J., *see* Schwartz, M. A., 1137
Deliwala, C. V., *see* Kulkarni, B. S., 852
——*see* Shah, M. H., 1398
Delor, R. A., *see* Taraszka, M. J., 207
Deluca, P. P., *see* Kostenbauder, H. B., 753
De Marchi, F., *see* Tamagnone, G. F., 898
Dempski, R. E., Portnoff, J. B., and Wase, A. W., *in vitro* release and *in vivo* penetration studies of a topical steroid from nonaqueous vehicles, 579
Der Marderosian, A., marine pharmaceuticals, 1
——*see* Krupka, L. R., 270
Desalva, S. J., *see* Goldberg, A. S., 938
Diamond, L., *see* Doluisio, J. T., 1200
DiCarlo, F. J., Crew, M. C., Melgar, M. D., and Haynes, L. J., prazepam metabolism by dogs, 960
Digenis, G. A., and Magarian, E. O., conformational preference in *N,N*-dimethyl-9,10-dimethylacridane determined by NMR spectroscopy, 1026
——benzyl group migration in 9-methyl-10-benzyl-9,10-dihydroacridine, 335
——metabolic fates of gramine in barley I: mechanism of incorporation of gramine into tryptophan in barley shoots, 39
——metabolic fates of gramine in barley II: biotransformation of gramine into indole-3-carbinol and indole-3-carboxylic acid in barley, 42
Dilberto, J. J., application of magnesium silicate adsorption chromatography to the determination of mephobarbital and diphenylhydantoin in tablets, 747
Dinner, A., *see* Campaigne, E., 892
DiSanto, A. R., and Wagner, J. G., kinetics of pharmacologic response II: equation for turnover time of goldfish as a function of concentration of ethanol and a theoretical derivation based on a combination of occupation and rate receptor theories, 1077
Dittert, L. W., Irwin, G. M., Rattie, E. S., Chong, C. W., and Swintosky, J. V., hydrolysis of 4-acetamidophenyl 2,2,2-trichloroethyl carbonate by esterolytic enzymes from various sources, 557
——*see* Doluisio, J. T., 1196
——*see* Irwin, G. M., 313
Dixon, R. L., Owens, E. S., and Rall, D. P., evidence of active transport of benzyl-^{14}C-penicillin from cerebrospinal fluid to blood, 1106
——*see* Nichols, W. K., 1149
Doluisio, J. T., Billups, N. F., Dittert, L. W., Sugita, E. G., and Swintosky, J. V., drug absorption I: an *in situ* rat gut technique yielding realistic absorption rates, 1196
——*see* Cressman, W. A., 1471
——*see* Cressman, W. A., 1516
——Tan, G. H., Billups, N. F., and Diamond, L., drug absorption II: effect of fasting on intestinal drug absorption, 1200
Dondero, D. L., *see* Parsons, W. H., 1449
Doskotch, R. W., and El-Feraly, F. S., antitumor agents II: tulipinolide, a new germacranolide sesquiterpene, and costunolide. Two cytotoxic substances from *Liriodendron tulipifera* L., 877
——and Hufford, C. D., damsin, the cytotoxic principle of *Ambrosia ambrosioides* (Cav.) Payne, 186
Douglas, J. F., Smith, N. B., and Stockage, J. A., gas chromatographic determination of mebutamate, carisoprodol, and tybamate in plasma and urine, 145
Doyal, S., 1569
Drungis, A. M., *see* Rubin, B., 955
Duax, W. L., *see* Cooper, A., 1159
Duplisse, B. R., *see* Chin, L., 1353
Dvorchik, B. H., *see* Garrett, E. R., 813
Dzelzkalns, M., *see* Rubin, B., 955

E

Eickholt, T. H., Courville, N. D., Danna, L. J., Verzwyvelt, L. L., and Waguespack, G. P., effects of 1,8-dihydroxyanthraquinone on different segments of rabbit gastrointestinal tract, 1289
Eigen, E., *see* Goldberg, A. S., 938
El-Basil, S., Ghoneim, K. M., Khalifa, M., and Abou-Zeid, Y. M., synthesis of certain N^1- and N^4-(5-nitro-2-pyridyl)-substituted sulfonamides, 907
El Defrawy, *see* El Masry, A. H., 228
El-Feraly, F. S., *see* Doskotch, R. W., 877
Ellin, R. I., *see* Sidell, F. R., 1093
Elliott, H. C., *see* Levy, G., 827
Ellis, C. A., *see* Villani, F. J., 138
El Masry, A. H., El Defrawy, S. A., and Gisvold, O., synthesis and biological activity of the ketals of digitoxigenone and digoxigenone and some acetals of digitoxigenin and digoxigenin, 228
Engel, R. H., and Riggi, S. J., intestinal absorption of heparin facilitated by sulfated or sulfonated surfactants, 706
——and Riggi, S. J., intestinal absorption of heparin: a study of the interactions of components of oil-in-water emulsions, 1372
Engel, S. L., *see* Rubin, B., 955
Eno, D. M., *see* Schleider, E., 1258
Entrekin, D. N., *see* Sumner, E. D., 83
Ernst, R. R., *see* Whitbourne, J. E., 1024
Erwin, V. G., and Simon, R. J., occurrence of newly synthesized monoamine oxidase in subcellular fractions of the rat liver, 1033

Evans, N. G., and Pilpel, N., properties of monolayers of normal alkyl betaines at the air-water interface, 1228

F

Facino, R. M., and Corona, G. L., identification and evaluation of amitriptyline and its basic metabolites by thin-layer chromatography in rabbit organs, 764
Fackler, W. B., *see* Stewart, J. T., 1261
Fan, J. H., *see* Kochhar, M. M., 1382
Farnsworth, N. R., and Fong, H. H. S., identity of pericalline, tabernoschizine, apparicine, and gomezine, 280
——*see* Abraham, D. J., 694
——*see* Kim, H. K., 372
Farvar, M. A., *see* Howard, S. A., 1325
——*see* Howard, S. A., 1330
Fassett, W. E., Fuller, T. S., and Hammarlund, E. R., sodium chloride equivalents, cryoscopic properties, and hemolytic effects of certain medicinals in aqueous solution II: supplemental values, 1540
Fayez, M. B. E., *see* Kapadia, G. J., 1157
Fazzari, F. R., and Riggleman, O. H., polarographic determination of oxazepam, 1530
Feldman, J. A., *see* Schleider, E., 1258
Feldman, S., and Gibaldi, M., physiologic surface-active agents and drug absorption I: effect of sodium taurodeoxycholate on salicylate transfer across the everted rat intestine, 425
——and Gibaldi, M., physiologic surface-active agents and drug absorption II: comparison of the effect of sodium taurodeoxycholate and ethylenediaminetetraacetic acid on salicylamide and salicylate transfer across the everted rat small intestine, 967
——*see* Gibaldi, M., 132
——*see* Gibaldi, M., 1477
Felmeister, A., and Schaubman, R., influence of ultraviolet irradiation on the surface activity of phenothiazine drugs, 1232
——and Schaubman, R., photoinduced interaction of phenothiazine drugs with a lecithin monomolecular film, 64
Fernandez, A. A., and Noceda, V. T., quantitative separation of progestins and estrogens from anovulatory formulations, 740
——Noceda, V. T., and Carrera, E. S., simultaneous separation and quantitative determination of tetracycline, anhydrotetracycline, 4-epitetracycline, and 4-epianhydrotetracycline in degraded tetracyclines by thin-layer chromatography, 443
Fernandez, B. S., *see* Kulkarni, B. S., 852
Ferrara, A., *see* Benzi, G., 1161
Fickling, C. S., *see* Beamer, R. L., 1142
——*see* Beamer, R. L., 1419
Fiese, G., and Perrin, J. H., further investigations into the absorption of dextromethorphan from the rat's stomach, 599
Finlayson, J. S., *see* Miller, J. R., 455
Flann, B. C., polarographic assay of glyceryl trinitrate sublingual tablets for content uniformity, 122
Flesher, A. M., *see* Christensen, H. D., 128
Floriddia, D. G., *see* Lange, W. E., 771
Floss, H. G., *see* Guenther, H., 1274
Fong, H. H. S., *see* Farnsworth, N. R., 280
——*see* Kim, H. K., 372
Fooks, J. R., and Mattok, G. L., thin-layer chromatography of procaine penicillin G, 1357
Foreman, R. L., Siegel, F. P., and Mrtek, R. G., synthesis of deuterio-*l*-amphetamine, d_1 sulfate, 189
Forman, B. J., and Grady, L. T., inclusion compounds in pharmaceutical analysis I: determination of dienestrol in dienestrol cream, 1262
Fowler, W. L., Jr., *see* Mathison, I. W., 1238
Foxx, M., *see* Gruber, M., 566
Foye, W. O., and Anderson, J. C., sulfur-containing derivatives of β-phenethylamine: dithiocarbamates and thioureas, 1558
——and Solis, M. C. M., inhibition of catalase and lactate dehydrogenase by radiation-protective thiols and thiol derivatives, 352
——radiation-protective agents in mammals, 283
Franchetti, P., Grifantini, M., and Martelli, S., structure-activity relations in organophosphorus-inhibited acetylcholinesterase reactivators II: methiodides of hydroxyimino derivatives of 1-pyridyl-2-phenylethanes, 857
Frank, S. G., and Zografi, G., determination of micellar weights for di-alkyl sodium sulfosuccinates in anhydrous and hydrous hydrocarbon solutions, 993
Fritchie, G. E., *see* Ho, B. T., 1423
Frost, B. M., *see* Polli, G. P., 1543
Fukui, K., *see* Naito, S. I., 1217
Fuller, G. C., *see* Louis-Ferdinand, R. T., 1155
Fuller, T. S., *see* Fassett, W. E., 1540

G

Gainer, F. E., and Arnett, W. A., quantitative determination of acronine, an antitumor alkaloid, by gas chromatography, 1548
Galinsky, A. M., *see* Schleider, E., 1258
Garrett, E. R., and Dvorchik, B. H., kinetics and mechanisms of the acid degradation of the aldopentoses to furfural, 813
——and Young, J. F., spectrophotometric analysis of glucose and mixtures of glucose, fructose, and sucrose, 1224
Gautieri, R. F., *see* Kasirsky, G., 766
——*see* Sherman, W. T., 971
——*see* Thompson, R. S., 406
——*see* Ward, C. O., 592
Gavazzi, G., *see* Pasini, R., 872
Geiersbach, H. J., *see* Perlman, D., 633
Geller, M., Weber, O. W. A., and Senkowski, B. Z., automated determination of ascorbic acid in multivitamin preparations, 477
George, T., *see* Arya, V. P., 432
——Tahilramani, R., Kaul, C. L., and Grewal, R. S., synthesis and antitussive activity of *N*-[indenyl(3)]ureas, 47
Gerencser, L. W., *see* Kapoor, A., 281
Gerraughty, R. J., *see* Mauger, J. W., 574
——*see* Needham, T. E., Jr., 62
Ghanem, A. H., Higuchi, W. I., and Simonelli, A. P., interfacial barriers in interphase transport: retardation of the transport of diethylphthalate across the hexadecane-water interface by an adsorbed gelatin film, 165
Ghate, S. P., *see* Arya, V. P., 432
Ghoneim, K. M., *see* El-Basil, S., 907
Ghouri, M. S. K., and Haley, T. J., alpha-adrenergic receptor-blocking properties of six phenethylamine derivatives *in vitro*, 760
——and Haley, T. J., *in vitro* evaluation of a series of sympathomimetic amines and the beta-adrenergic blocking properties of cyclopentamine, 882
——and Haley, T. J., structure-activity relationships in the adrenergic-blocking agents, 511
Gibaldi, M., and Feldman, S., pharmacokinetic basis for the influence of route of administration on the area under the plasma concentration-time curve, 1477
——effect of mode of administration on drug distribution in a two-compartment open system, 327
——estimation of the pharmacokinetic parameters of the two-compartment open model from post-infusion plasma concentration data, 1133
——Feldman, S., and Weiner, N. D., dissolution kinetics in micellar solutions under nonsink conditions, 132
——Nagashima, R., and Levy, G., relationship between drug concentration in plasma or serum and amount of drug in the body, 193
——*see* Feldman, S., 425
——*see* Feldman, S., 967
——*see* Levy, G., 422
——*see* Mayersohn, 1429
——*see* Nightingale, C. H., 1005
——*see* Weintraub, H., 1368
——*see* Zatz, J. L., 1493
Gibbs, I. S., and Tuckerman, M. M., assay of quinacrine hydrochloride, 116
Giller, F. B., *see* Goldstein, F. J., 253
Gisvold, O., *see* El Masry, A. H., 228
Glasser, A. C., *see* Kadaba, P. K., 1422
Goldberg, A. H., and Higuchi, W. I., mechanisms of interphase transport II: theoretical considerations and experimental evaluation of interfacially controlled transport in solubilized systems, 1341
Goldberg, A. S., Mueller, E. C., Eigen, E., and Desalva, S. J., isolation of the anti-inflammatory principles from *Achillea millefolium* (Compositae), 938
Goldstein, F. J., Giller, F. B., and Rossi, G. V., modification of epinephrine-induced inhibition of transmission by tropolone and desipramine (desmethylimipramine) in the perfused superior cervical ganglion, 253
Gooden, E. L., *see* Warthen, D., 637
Goodhart, F. W., Mayorga, G., and Ninger, F. C., measurement of lower punch pull-down force and its significance, 248
Grace, J. T., Jr., *see* Chheda, G. B., 75
Grady, L. T., *see* Forman, B. J., 1262
Grewal, R. S., *see* Arya, V. P., 432
——*see* George, T., 47
Grifantini, M., Martelli, S., and Stein, M. L., structure-activity relations in organophosphorus inhibited acetylcholinesterase reactivators I: methiodides of new mono- and dioximes with pyridine nucleus, 460
——*see* Franchetti, P., 857
Grigas, E. O., *see* Rubin, B., 955
Grim, W. M., *see* Polli, G. P., 484
Groff, W. A., *see* Sidell, F. R., 1093
Gruber, M., Klein, R., and Foxx, M., infrared and thin-layer chromatography determination of benzoyl peroxide degradation products in pharmaceuticals, 566
Grunden, L. R., and Linburn, G. E., permanent cannula-injection system for intracerebral injections in small animals, 1147
Grunewald, G. L., *see* Martin, A. R., 340
Guenther, H., Ramstad, E., and Floss, H. G., on the biosynthesis of cantharidin, 1274
Guess, W. L., *see* Powell, D., 842
——*see* Watkins, W. D., 1007
Guillory, J. K., Hwang, S. C., and Lach, J. L., interactions between pharmaceutical compounds by thermal methods, 301
Gusseck, D. J., *see* Martin, A. R., 340
Guttman, D. E., and Salomon, G. W., comparison of methods for the determination of salicylic acid in buffered aspirin tablets, 120
——*see* Brown, K. F., 1393
Guyton, C. L., *see* Huang, C. L., 267
Gyanchandani, N. D., and Nigam, I. C., anthraquinone drugs II: inadvertent acetylation of aloe-emodin during preparation of aglycones from crude drugs—UV, IR, and NMR spectra of the products, 833
——Yamamoto, M., and Nigam, I. C., anthraquinone drugs I: thin-layer chromatographic identification of aloes, cascara, senna, and certain synthetic laxatives in pharmaceutical dosage forms, 197

H

Haddad, H. M., *see* Yeh, K. C., 1163
Haggerty, W. J., Jr., and Rost, W. J., aryloxyacetamidines of medicinal interest, 50
Haleblian, J., and McCrone, W., pharmaceutical applications of polymorphism, 911
Haley, T. J., *see* Chau, T. T., 621
——*see* Christensen, H. D., 128
——*see* Ghouri, M. S. K., 511
——*see* Ghouri, M. S. K., 760
——*see* Ghouri, M. S. K., 882
Hall, N. A., *see* Thakkar, A. L., 68
Hamlin, W. E., reactivity of the hydroxyl groups in selected derivatives of lincomycin, 1291
——*see* Higuchi, W. I., 1145
Hammarlund, E. R., *see* Fassett, W. E., 1540
Hammes, T. L., *see* Phillips, B. M., 572
——*see* Phillips, B. M., 1414
Hamor, G. H., *see* Rao, B. K., 332
——*see* Rao, B. K., 628
Harbison, R. D., and Becker, B. A., barbiturate mortality in hypothyroid and hyperthyroid rats, 183

Harris, P. A., and Riegelman, S., influence of the route of administration on the area under the plasma concentration-time curve, 71
——and Riegelman, S., metabolism of griseofulvin in dogs, 93
Hatfield, G. M., and Brady, L. R., occurrence of bis-noryangonin in *Gymnopilus spectabilis*, 1298
Havera, H. J., *see* Phillips, B. M., 1414
Hawrylyshyn, M., *see* Plinton, C., 875
Haynes, L. J., *see* DiCarlo, F. J., 960
Heckman, L. J., *see* Cullen, L. F., 1537
Helman, J., effects of some enzymes, surface-active agents, and calcium chloride on the aqueous extraction of alkaloids from belladonna leaves, 1085
Helprin, J. J., *see* Miller, J. R., 455
Henderson, W. M., and Shelver, W. H., kinetic study of the nucleophilic addition of diethyl phosphonate to benzylideneanilines, 106
Henry, E. D., and Sullivan, G., phytochemical evaluation of some cantharelloid fungi, 1497
Heotis, J. P., *see* Cox, P. L., 987
Hershenson, B. R., and Quimby, M. W., preliminary phytochemical investigation of the stem wood of *Suriana maritima* Linn. (Simarubaceae), 1411
Heveran, J. E., *see* Jones, B. C., 607
Heyd, A., Kildsig, D. O., and Banker, G. S., dissolution of macromolecules I: surface phenomena associated with polymer dissolution, 586
Hiestand, E. N., and Wilcox, C. J., shear cell measurements of powders: proposed procedures for elucidating the mechanistic behavior of powder beds in shear, 1403
Higuchi, T., Richards, J. H., Davis, S. S., Kamada, A., Hou, J. P., Nakano, M., Nakano, N. I., and Pitman, I. H., solvency and hydrogen bonding interactions in nonaqueous systems, 661
——*see* Coldman, M. F., 1098
——*see* Michaelis, A. F., 201
——*see* Repta, A. J., 505
——*see* Repta, A. J., 1110
Higuchi, W. I., Hamlin, W. E., and Mehta, S. C., infrared attenuated total reflectance (ATR) method for observing the water-mediated surface phase reversion of methylprednisolone II to I during dissolution, 1145
——*see* Ghanem, A. H., 165
——*see* Goldberg, A. H., 1341
——*see* Howard, S. A., 1325
——*see* Howard, S. A., 1330
——*see* Simonelli, A. P., 538
Hikasa, Y., 1569
Hishta, C., and Lauback, R. G., gas chromatographic analysis of amine mixtures in drug formulations, 745
Ho, B. T., Fritchie, G., E., Kralik, P. M., Tansey, L. W., Walker, K. E., and McIsaac, W. M., inhibitors of monoamine oxidase V: effect of substitution on the transport of tetrahydro-β-carboline analogs to mouse brain, 1423
——McIsaac, W. M., and Tansey, L. W., hydroxyindole-*O*-methyltransferase I: substrate binding, 130
——McIsaac, W. M., and Tansey, L. W., hydroxyindole-*O*-methyltransferase III: influence of the phenyl moiety on the inhibitory activities of some *N*-acetyltryptamines, 563
——McIsaac, W. M., and Tansey, L. W., inhibitors of monoamine oxidase IV: 6(or 8)-substituted tetrahydro-β-carbolines and their 9-methyl analogs, 998
——McIsaac, W. M., Tansey, L. W., and Walker, K. E., inhibitors of monoamine oxidase III: 9-substituted-β-carbolines, 219
Hoch, J. H., *see* Pitts, O. M., 379
Holmes, J. L., *see* Nigam, I. C., 506
Hong, D. D., *see* Sinsheimer, J. E., 1041
Hou, J. P., and Poole, J. W., kinetics and mechanism of degradation of ampicillin in solution, 447
——and Poole, J. W., the amino acid nature of ampicillin and related penicillins, 1510
——*see* Higuchi, T., 661
Howard, S. A., Farvar, M. A., Suzuki, A., and Higuchi, W. I., two-phase method for the investigation of interphase transport I: theoretical aspects, 1325
——Suzuki, A., Farvar, M. A., and Higuchi, W. I., two-phase method for the investigation of interphase transport II: experimental aspects, 1330
Huang, C. L., and Guyton, C. L., synthesis of nor$_1$- and nor$_2$-chlorpromazine derivatives, 267
Hufford, C. D., *see* Doskotch, R. W., 186
Hussain, A., and Schurman, P., thiol esters I: kinetic study of the formation of 2-dimethylaminoethanethiol propionate, 684
——and Schurman, P., thiol esters II: a kinetic study of hydrolysis and aminolysis of propionyl thiocholine iodide and 2-dimethylaminoethanethiol propionate, 687
——kinetics and mechanism of hydrolysis of antimycin A_1 in solution, 316
Hutchins, H. H., *see* Kulkarni, A. B., 481
Hwang, C. L., *see* Wan, L. S. C., 262
——*see* Wan, L. S. C., 626
——*see* Wan, L. S. C., 889
Hwang, S. C., *see* Guillory, J. K., 301

Ike, A. F., *see* Sumner, E. D., 83
Intoccia, A., *see* Ravin, L. J., 1242
Irvin, J. L., *see* Piantadosi, C., 821
Irwin, G. M., Kostenbauder, H. B., Dittert, L. W., Staples, R., Misher, A., and Swintosky, J. V., enhancement of gastrointestinal absorption of a quaternary ammonium compound by trichloroacetate, 313
——*see* Dittert, L. W., 557

J

Jacobson, H., and Reier, G., application of differential thermal analysis to compatibility and stability problems in penicillin-stearic acid mixtures, 631
Jacobson, M., *see* Warthen, D., 637
James, R. H., Sternglanz, P. D., and Shealy, Y. F., 5(or 4)-[3,3-bis(2-chloroethyl)-1-triazeno]imidazole-4(or 5)-carboxamide: a titrimetric determination of its *v*-triazolinium transformation product and studies of its stability, 1193
Janicki, C. A., *see* Cressman, W. A., 1516
Jeffus, M. T., and Kenner, C. T., determination of niacinamide in pharmaceutical preparations, 749
Jelinek, J., *see* Selye, H., 1055
Jenkins, H. J., *see* Benoit, P. S., 225
Johns, W. H., and Bates, T. R., quantification of the binding tendencies of cholestyramine I: effect of structure and added electrolytes on the binding of unconjugated and conjugated bile-salt anions, 179
——*see* Bates, T. R., 1468
Johnson, B. J., and May, W. P., rapid peptide, synthesis: synthesis of human fibrinopeptide A., 1568
——and Tracey, D. E., further applications of the 4-(methylthio)-phenyl ester in peptide chemistry, 1299
——rapid peptide synthesis: synthesis of the heptapeptide A_{6S}–A_{7I} of abnormal human α-hemoglobin, 1042
Johnson, J. R., *see* Rippie, E. G., 428
Johnson, P. C., Cressman, W. A., 1516
Johnson, W. E., and Martin, A. R., non-teratogenicity of *Veratrum californicum* in rabbits, 1165
Jones, B. C., Heveran, J. E., and Senkowski, B. Z., specific ion electrode determination of fluoride in multivitamin preparations, 607; erratum, 1569
Jones, P. H., Rowley, E. K., Weiss, A. L., Bishop, D. L., and Chun, A. H. C., insoluble erythromycin salts, 337
Jorgensen, E. C., and Nulu, J. R., thyroxine analogs XVI: synthesis and activity of 3,5 - dibromo - 3′ - isopropyl - L - thyronine, 1139
Joseph, G., *see* Ravin, L. J., 1242
Jusko, W. J., and Levy, G., plasma protein binding of riboflavin and riboflavin-5′-phosphate in man, 58
——*see* Levy, G., 422

K

Kabadi, B. N., Warren, A. T., and Newman, C. H., semiautomated fluorometric and colorimetric methods for the determination of reserpine in single tablets, 1127
Kabasakalian, P., Cannon, G., and Pinchuk, G., fractional factorial experimental design study of the incompatibility of benzocaine in throat lozenges, 45
——dispensing efficiency of nonmetered topical spray aerosols, 245
Kadaba, P. K., Carr, M., Tribo, M., Triplett, J., and Glasser, A. C., boron trifluoride ethyl ether as an effective catalyst in the synthesis of alkyl *p*-aminobenzoates, 1422
Kaistha, K. K., selective assay procedure for chlorpropamide in the presence of its decomposition products, 235
Kakemi, K., Sezaki, H., Nakano, M., and Ohsuga, K., effect of structure of pyridinecarboxylic acids and hydroxypyridines on molecular interaction in water, 699
Kalani, D. K., *see* Matin, M. A., 757
Kamada, A., *see* Higuchi, T., 661
Kamath, B. R., *see* Kanhere, S. S., 1550
Kamienny, F. M., Barr, M., and Nagwekar, J. B., mutual inhibitory effect of (−)-mandelic acid and certain sulfonamides on the kinetics of their urinary excretion in humans, 1318
Kanhere, S. S., Vyas, A. H., Bhat, C. V., Kamath, B. R., Shah, R. S., and Bafna, S. L., studies with ion-exchange resins on cinchona alkaloids III: exchange rates, 1550
Kapadia, G. J., ascospectoside A II: the structure of the cardenolide glycoside, 1555
——Vaishnav, Y. N., and Fayez, M. B. E., peyote alkaloids IX: identification and synthesis of 3-demethylmescaline, a plausible intermediate in the biosynthesis of the cactus alkaloids, 1157
Kaplan, G., *see* Medwick, T., 308
Kapoor, A., and Gerencser, L. W., sequential polypeptides: synthesis of *N*-protected, *C*-activated peptides from *C*-terminal residues of amino acids, 976
——Gerencser, L. W., and Koutnik, W. R., peptides synthesis: coupling of pentachlorophenyl-active ester hydrochlorides of di- and tripeptides with *N*-carbobenzoxy amino acids through mixed anhydride method, 281
Karawya, M. S., Sina, A., and Nour, G., determination of dihydroseselins in fruits and extracts of *Ammi visnaga* L., 1545
Karnes, H. A., *see* Morozowich, W., 1485
Kasirsky, G., Sherman, W. T., Gautieri, R. F., and Mann, D. E., Jr., cobalt-cortisone interrelationships in the induction and inhibition of cleft palate in mice, 766
Katz, N. L., *see* Benoit, P. S., 225
Kaul, C. L., *see* Arya, V. P., 432
——*see* George, T., 47
Kenner, C. T., *see* Dalrymple, B. A., 604
——*see* Jeffus, M. T., 749
Khalifa, M., *see* El-Basil, S., 907
——*see* Ossman, A. E., 1295
Khanna, S. C., and Speiser, P., epoxy resin beads as a pharmaceutical dosage form I: method of preparation, 1114
——Soliva, M., and Speiser, P., epoxy resin beads as a pharmaceutical dosage form II: dissolution studies of epoxy-amine beads and release of drug, 1385
Kibbe, A. H., and Araujo, O. E., nuclear magnetic resonance and rheological studies on the thixotropic properties of montmorillonite-water systems, 714
Kildsig, D. O., *see* Heyd, A., 586
Kim, C. S., *see* Piantadosi, C., 821
Kim, H. K., Farnsworth, N. R., Blomster, R. N., and Fong, H. H. S., biological and phytochemical evaluation of plants V: isolation of two cytotoxic alkaloids from *Chelidonium majus*, 372
Kim, H. Y., *see* Manudhane, K. S., 616
King, R. H., *see* Klein, H. R., 1524
Kinget, R. D., and Schwartz, M. A., model catalysts which simulate penicillinase IV: steric and electronic effects in the catalysis of hydrolysis of penicillins and cephalothin by aminoalkyl-catechols, 1102
Klein, H. R., King, R. H., and Mader, W. J., determination of trace amounts of selenium in pharmaceuticals, 1524

Klein, R., *see* Gruber, M., 566
Klink, P. R., *see* Colaizzi, J. L., 1184
Knott, R. P., *see* Morgan, L. W., 942
Kochhar, M. M., Williams, B. B., and Fan, J. H., synthesis of ketoximino-esters and -ethers as antihypertensive agents, 1382
Koehler, F., *see* Billman, J. H., 767
Kondo, T., and Tomizawa, M., hemolytic actions of short-chain alkylamine hydrochlorides, 255
——and Tomizawa, M., mechanism of hemolysis by cationic surface-active agents, 1378
Koppanyi, T., *see* Osterberg, R. E., 1313
Kornblum, S. S., sustained-action tablets prepared by employing a spray-drying technique for granulation, 125
Kornet, M. J., and Thio, P. A., new local anesthetics II: lidocaine analogs embodying pyrazolidine on the basic moiety, 724
Koshy, K. T., comparative stabiiity of benzamide, salicylamide, and some *N*-substituted derivatives, 560
Kostenbauder, H. B., Boxenbaum, H. G., and DeLuca, P. P., nylon as a dialysis membrane, 753
——*see* Baxter, T. H., 33
——*see* Irwin, G. M., 313
Koutnik, W. R., *see* Kapoor, A., 281
Kowarski, C. R., effect of polysorbate 80 and of sodium lauryl sulfate on the photodegradation of flavin mononucleotide: a kinetic study with electron spin resonance, 360
Krajny, M., *see* Selye, H., 1055
Kralik, P. M., *see* Ho, B. T., 1423
Kraus, P. J., *see* Phillips, B. M., 572
Kreke, C. W., inhibition of trypsin sulfhydryl reagents: selective toxicities of organic mercury compounds, 457
Krupka, L. R., Racle, F. A., and Der Marderosian, A., salicylate degradation by *Aspergillus niger:* influence of glucose, 270
Kubena, R. K., and Barry, H., III, two procedures for training differential responses in alcohol and nondrug conditions, 99
Kuehn, P. B., *see* Thakkar, A. L., 850
Kulkarni, A. B., Carrigan, P. J., Ward, J. B., and Hutchins, H. H., quantitative evaluation of chilling effect of aerosol sprays, 481
Kulkarni, B. S., Fernandez, B. S., Patel, M. R., Bellare, R. A., and Deliwala, C. V., chemotherapy of tuberculosis, part IX: synthesis and screening of new thiazolyl thiocarbanilides, 852
Kulkarni, P. G., *see* Thompson, B. B., 623
Kuzel, N. R., Roudebush, H. E., and Stevenson, C. E., automated techniques in pharmaceutical analysis, 381
Kwan, K. C., *see* Allen, D. J., 1190

L

Lach, J. L., *see* Bhansali, K. G., 1036
——*see* Guillory, J. K., 301
Lachman, L., *see* Lin, S. L., 377
Lamb, D. J., *see* Morozowich, W., 1485
Lambert, D. A., *see* Bates, T. R., 1468
Lange, W. E., Floriddia, D. G., Pruyn, F. J., *in vitro* binding of salicylates to saliva proteins, 771
Langenbucher, F., *in vitro* assessment of dissolution kinetics: description and evaluation of a column-type method, 1265
Lathrop, L. B., *see* Ward, D. R., 1464
Lau, E. P. K., Yao, C., Lewis, M., and Senkowski, B. Z., colorimetric determination of some *N*-1-substituted nitroimidazoles, 55
Lauback, R. G., *see* Hishta, C., 745
LeBeau, L. J., *see* Mrtek, M. B., 1362
Lee, K. H., and Soine, T. O., coumarins IX: coumarins of *Sphenosciadium capitellatum* (A. Gray), 675
——and Soine, T. O., coumarins X: spectral studies on some linear furanocoumarins, 681
Lee, K. H., and Spencer, M. R., studies on mechanism of action of salicylates V: effect of salicylic acid on enzymes involved in mucopolysaccharides synthesis, 464
——and Spencer, M. R., studies on the mechanism of action of salicylates VII: effect of a few anti-inflammatory agents on uridine-5′-diphosphoglucose dehydrogenase, 1152
——and Tong, T. G., studies on the mechanism of action of salicylates VI: effect of topical application of retinoic acid on wound-healing retardation action of salicylic acid, 773
——*see* Thompkins, L., 102
Leeling, J. L., and Phillips, B. M., simple assay for determination of carbonic anhydrase activity, 909; erratum, 1569
——*see* Phillips, B. M., 572
Leeson, L. J., and Weidenheimer, J. F., stability of tetracycline and riboflavin, 355
——*see* Brown, M., 242
Lemberger, A. P., *see* Torosian, G., 864
Leonards, J. R., and Levy, G., biopharmaceutical aspects of aspirin-induced gastrointestinal blood loss in man, 1277
Levine, J., and Maienthal, M., a quinidine transformation product isolated from quinidine injection, 770
Levy, G., Amsel, L. P., and Elliott, H. C., kinetics of salicyluric acid elimination in man, 827
——and Anello, J. A., effect of polysorbate hydrolysis products on biologic membrane permeability, 494
——and Nagashima, R., comparative pharmacokinetics of coumarin anticoagulants VI: effect of plasma protein binding on the distribution and elimination of bishydroxycoumarin by rats, 1001
——Gibaldi, M., and Jusko, W. J., multicompartment pharmacokinetic models and pharmacologic effects, 422
——*see* Amsel, L. P., 321
——*see* Anello, J. A., 721
——*see* Gibaldi, M., 193
——*see* Jusko, W. J., 58
——*see* Leonards, J. R., 1277
——*see* Nagashima, R., 845
——*see* Reuning, R. H., 79
——Volgel, A. W., and Amsel, L. P., capacity-limited salicylurate formation during prolonged administration of aspirin to healthy human subjects, 503
Lewis, C., *see* Morozowich, W., 1485
——*see* Sinkula, A. A., 1389
Lewis, M., *see* Lau, E. P. K., 55
Lin, S. L., and Lachman, L., *in situ* crystalline transformation of a new antihypertensive determined by photomicrographic and dissolution methods, 377
Linburn, G. E., *see* Grunden, L. R., 1147
Lindemann, C. J., and Rosolia, A., gas chromatographic assay for benzyl alcohol and phenylethyl alcohol in pharmaceutical formulations, 118
Locock, R. A., Coutts, R. T., 775
Long, J. P., *see* Chiou, C. Y., 1168
——*see* Strycker, S. J., 671
Loucas, S. P., *see* Yeh, K. C., 1163
Louis-Ferdinand, R. T., and Fuller, G. C., rate assay for estimation of thiol affinity of sulfhydryl-reactive agents: estimation of SH-reactivity, 1155
Luckens, M. M., and Phelps, K. I., serum enzyme patterns in acute poisoning with organochlorine insecticides, 569
Lummis, W. L., *see* Perlman, D., 633
Lundstrom, J., *see* Agurell, S., 1413
Luts, H. A., new compounds: new 1,3-diiminoisoindolines, 496
——two new bicyclic ring systems, 1,4,5-benzodioxazocine and 1,4-benzoxazepine, 1460
Lutsch, E. F., *see* Morris, R. W., 374
Lynch, M. J., *see* Ward, D. R., 1464

M

MacKellar, F. A., *see* Morozowich, W., 1485
——*see* Sinkula, A. A., 1389
Mader, W. J., *see* Klein, H. R., 1524
Magarian, E. O., and Nobles, W. L., new compounds: acrylonitrile derivatives as potential antineoplastic agents, 1166
——*see* Digenis, G. A., 1026
Mahn, F. P., *see* Plinton, C., 875
Maienthal, M., *see* Levine, J., 770
Mainville, C. A., *see* Withey, R. J., 1120
Malone, M. H., *see* Adams, J. G., 279
——*see* Decato, L., Jr., 273
——*see* Morton, J. J. P., 1169
——*see* Trottier, R. W., Jr., 1250
Mann, D. E., Jr., *see* Arcuri, P. A., 260
——*see* Kasirsky, G., 766
Manowitz, M., *see* Porcaro, P. J., 251
Manudhane, K. S., Contractor, A. M., Kim, H. Y., and Shangraw, R. F., tableting properties of a directly compressible starch, 616
Manzo, L., *see* Benzi, G., 885
Martelli, S., *see* Franchetti, P., 857
——*see* Grifantini, M., 460
Martin, A. R., Parulkar, A. P., Gusseck, D. J., Anderson, L. J., Grunewald, G. L., and White, A. I., substituted tetralins I: synthesis and analgesic activities of some 2-aminotetralins, 340
——*see* Johnson, W. E., 1165
Mary, N. Y., gas chromatographic determination of water in natural products by reaction with 2,2-dimethoxypropane, 1089
Mascherpa, P., *see* Benzi, G., 1161
Masoud, A., *see* Agurell, S., 1413
Mathison, I. W., and Fowler, W. L., Jr., hydrogenation of substituted isoquinolines over nickel catalyst I: the effects of pressure and temperature on the hydrogenation of 5-nitro-2-alkylisoquinilinium salts, 1238
Matin, M. A., Tewari, J. P., and Kalani, D. K., pharmacological effects of paniculatin—a glycoside isolated from *Ipomoea digitata* Linn., 757
Mattocks, A. M., accelerated removal of salicylate by additives in peritoneal dialysis fluid, 595
Mattok, G. L., *see* Fooks, J. R., 1357
Mauger, J. W., Paruta, A. N., and Gerraughty, R. J., consecutive first-order kinetic consideration of hydrocortisone hemisuccinate, 574
Maulding, H. V., Jr., *see* Zoglio, M. A., 222
——Zoglio, M. A., Pigois, F. E., and Wagner, M., pharmaceutical heterogeneous systems IV: a kinetic approach to the stability screening of solid dosage forms containing aspirin, 1359
May, E. L., *see* Ager, J. H., 499
May, R., *see* Billman, J. H., 767
May, W. P., *see* Johnson, B. J., 1568
Mayersohn, M., and Gibaldi, M., drug transport I: effect of potassium ion on the *in vitro* transfer of several drugs across the rat intestine: preliminary observations, 1429
Mayorga, G., *see* Goodhart, F. W., 248
McCrone, W., *see* Haleblian, J., 911
McIsaac, W. M., *see* Ho, B. T., 130
——*see* Ho, B. T., 219
——*see* Ho, B. T., 563
——*see* Ho, B. T., 998
——*see* Ho, B. T., 1423
McKenzie, W. L., disproportionation of lidocaine sulfate dihydrate in certain organic solvents, 1297; erratum, 1569
McLaurin, E. B., *see* Sam, J., 1282
McMillan, F. H., and Pattison, I. C., sodium colistimethate I: dissociations of aminomethanesulfonates in aqueous solution, 730
Medwick, T., Kaplan, G., and Weyer, L. G., measurement of acidity and equilibria in glacial acetic acid with the glass-calomel electrode system, 308
Mehta, D. V., *see* Arya, V. P., 432
Mehta, S. C., *see* Higuchi, W. I., 1145
——*see* Simonelli, A. P., 538
Melgar, M. D., *see* DiCarlo, F. J., 960
Melikian, A. P., *see* Castagnoli, N., 860
Metzler, C. M., *see* Wagner, J. G., 87
Mezei, M., and White, G. N., dermatitic effect of nonionic surfactants III: incorporation of ^{32}P into phospholipids and acid soluble material of normal and surfactant-treated rabbit skin *in vitro,* 1209
Mhasalkar, M. Y., *see* Shah, M. H., 1398
Michaelis, A. F., and Higuchi, T., ion-pair extraction of pharmaceutical amines IV: influence of anion on enthalpic, entropic, and free energy changes resulting from phase transfer, 201
Midha, K. K., *see* Coutts, R. T., 949
Mika, E. S., *see* Solomon, M. J., 264
——*see* Wu Chu, B. L., 1073
Miller, J. R., Helprin, J. J., and Finlayson, J. S., silicone lubricant flushed from disposable syringes: determination by atomic absorption spectrophotometry, 455

Mintz, M. R., *see* Benoit, P. S., 225
Misher, A., *see* Irwin, G. M., 313
Mittelman, A., *see* Chheda, G. B., 75
Miya, T. S., *see* Bhatti, M. C., 502
Mizrahi, I., and Nigam, I. C., essential oils and their constituents: isolation of aromatic sesquiterpenes from reunion vetiver oil, 738
Mock, B. H., and Robbers, J. E., biosynthesis of rubrofusarin by *Fusarium graminearum*, 1560
Mogenhan, J. A., *see* Whitbourne, J. E., 1024
Mollica, J. A., Rehm, C. R., and Smith, J. B., hydrolysis of hydrochlorothiazide, 635
Moore, J. M., polarographic assay of niacinamide in pharmaceutical preparations, 1117
Morgan, L. W., Cronk, D. H., and Knott, R. P., synthesis and *in vitro* fungistatic evaluation of some *N*-substituted amides and amine salts of sorbic acid, 942
Morozowich, W., Lamb, D. J., Karnes, H. A., MacKellar, F. A., Lewis, C., Stern, K. F., and Rowe, E. L., synthesis and bioactivity of lincomycin-2-phosphate, 1485
——*see* Rowe, E. L., 1375
——*see* Sinkula, A. A., 1389
Morris, R. W., and Lutsch, E. F., daily susceptibility rhythm to morphine analgesia, 374
Morton, J. J. P., and Malone, M. H., investigation of adrenergic beta-receptor blockade and mescaline-induced bradycardia, 1169
Mozingo, J. R., Jr., *see* Sam, J., 1030
——*see* Sam, J., 1035
Mroszczak, E. J., Vallner, J., and Perrin, J. H., possible role for trichloroacetate in pharmaceutical formulations, 1567
Mrtek, M. B., LeBeau, L. J., Siegel, F. P., and Mrtek, R. G., microculture assay for the rapid determination of antifungal activity, 1362
Mrtek, R. G., *see* Foreman, R. L., 189
——*see* Mrtek, M. B., 1362
Mueller, E. C., *see* Goldberg, A. S., 938
Munch, J. C., *see* Burnett, C. M., 1417
Munden, J. W., Blois, D. W., and Swarbrick, J., surface pressure relaxation and hysteresis in stearic acid monolayers at the air-water interface, 1308
Munson, J. W., *see* Notari, R. E., 1060
Murray, D. H., potentiation of cell growth inhibition by furanosides, 775
——Prokop, J., and Bloch, A., biological activity of furanoses I: tetrofuranosyl adenines, 1275
Myrick, J. W., automated assay of single tablets of digoxin, 1018

N

Nagashima, R., and Levy, G., comparative pharmacokinetics of coumarin anticoagulants V: kinetics of warfarin elimination in the rat, dog, and rhesus monkey compared to man, 845
——*see* Gibaldi, M., 193
——*see* Levy, G., 1001
Nagwekar, J. B., *see* Kamienny, F. M., 1318
Naito, S. I., and Fukui, K., biopharmaceutical studies of aminoethanesulfonylphenetidine I, 1217
Nakano, M., *see* Higuchi, T., 661
——*see* Kakemi, K., 699
Nakano, N. I., *see* Higuchi, T., 661
Nash, R. A., *see* Burger, J. M., 110
Naylor, J., *see* Pernarowski, M., 470
Needham, T. E., Jr., and Gerraughty, R. J., ultrasonic degradation of aspirin in mixed solvent systems, 62
Nelson, K. F., *see* Nelson, W. L., 894
Nelson, W. L., and Nelson, K. F., facile method for the preparation of some novel bicyclic lactones, 894; erratum, 1569
Nematollahi, J., *see* Powell, D., 842
Neville, G. A., and Cook, D., lidocaine—an unusual incidence of an acyclic *cis* amide configuration, 636
Newman, C. H., *see* Kabadi, B. N., 1127
Nichols, W. K., and Dixon, R. L., aldehyde oxidase activity during the perinatal period, 1149
Niebergall, P. J., *see* Cressman, W. A., 1471
Nieforth, K. A., *see* Cohen, M. L., 97
——*see* Decato, L., Jr., 273
——*see* Stoll, R. G., 1457
Nigam, I. C., and Holmes, J. L., mass spectrometry of lysergic acid diethylamide, 506
——*see* Gyanchandani, N. D., 197
——*see* Gyanchandani, N. D., 833
——*see* Mizrahi, I., 738
Nightingale, C. H., Wynn, R. J., and Gibaldi, M., physiologic surface-active agents and drug absorption III: effect of bile salt on drug absorption in goldfish, 1005
Ninger, F. C., *see* Goodhart, F. W., 248
Nobles, W. L., *see* Magarian, E. O., 1166
——*see* Varma, R. S., 497
Noceda, V. T., *see* Fernandez, A. A., 443
——*see* Fernandez, A. A., 740
Norred, W. P., *see* Ansel, H. C., 836
Notari, R. E., and Caiola, S. M., catalysis of streptovitacin A dehydration: kinetics and mechanisms, 1203
——and Munson, J. W., hydroxamic acids I: factors affecting the stability of the hydroxamic acid-iron complex, 1060
——hydroxamic acids II: kinetics and mechanisms of hydroxyaminolysis of succinimide, 1064
——hydroxamic acids III: kinetics of acetohydroxamic acid formation from ethyl acetate, 1069
Nour, G., *see* Karawya, M. S., 1545
Nulu, J. R., *see* Jorgensen, E. C., 1139

O

Ogunlana, E. O., Ramstad, E., and Tyler, V. E., effects of some substances on ergot alkaloid production, 143
Ohlrogge, A. J., *see* Spitznagle, L. A., 1234
Ohsuga, K., *see* Kakemi, K., 699
Oke, T. O., *see* Brochmann-Hanssen, E., 370
O'Leary, R. K., Watkins, W. D., and Guess, W. L., comparative chemical and toxicological evaluation of residual ethylene oxide in sterilized plastics, 1007
Opdyke, D. L., *see* Burnett, C. M., 1417
Orentreich, N., Taylor, E. H., Berger, R. A., and Auerbach, R., comparative study of two antidandruff preparations, 1279
Osadca, M., *see* Carstensen, J. T., 549
Ossman, A. E., Khalifa, M., Abou-Zeid, Y. M., some derivatives of 2-methyl-3-phenyl-3H-4-quinazolone, 1295
Osterberg, R. E., and Koppanyi, T., effects of chlorpheniramine and pyrilamine on the atrial actions of acetylcholine, tyramine and ephedrine, 1313
Ostrenga, J. A., on the additivity of molar attraction constants, 1281
Owens, E. S., *see* Dixon, R. L., 1106

P

Papariello, G. J., *see* Cullen, L. F., 1537
Parsons, W. H., and Dondero, D. L., study of density gradients in certain oil-in-water emulsions using multichannel gamma ray analysis, 1449
Parulkar, A. P., *see* Martin, A. R., 340
Paruta, A. N., *see* Mauger, J. W., 574
——solubility of parabens in alcohols, 216
——solubility of the parabens in dioxane-water mixtures, 204
——solubility of the parabens in ethanol-water mixtures, 364
Pasini, R., and Gavazzi, G., selective colorimetric determination of ethynodiol diacetate in oral estrogen-progestin combination, 872, erratum, 1569
Patel, I. C., and Skauen, D. M., ultrasonic extraction of *Cassia acutifolia*, 1135
Patel, M. R., *see* Kulkarni, B. S., 852
Pathak, S. G., and Reese, D. R., use of dyes for better reliability in a microbiological assay, 505
Patki, V. M., *see* Shah, M. H., 1398
Pattison, I. C., *see* McMillan, F. H., 730
Perlman, D., Lummis, W. L., and Geiersbach, H. J., differential agar-diffusion bioassay for cytotoxic substances, 633
Pernarowski, M., Searl, R. O., and Naylor, J., application of absorbance ratios to analysis of pharmaceuticals V: analysis of tetracycline hydrochloride in presence of anhydrotetracycline and epianhydrotetracycline, 470
Perrin, J. H., *see* Bonkoski, S., 1428
——*see* Fiese, G., 599
——*see* Mroszczak, E. J., 1567
Perry, J. E., *see* Cummins, L. M., 762
Peterson, R. C., application of Lowry protein determination to influenza vaccine, 141
Phelps, K. I., *see* Luckens, M. M., 569
Phillips, B. M., Havera, H. J., and Hammes, T. L., ring opening of cyclic salicylamides, 1414
——Kraus, P. J., Hammes, T. L., and Leeling, J. L., simultaneous extraction of tissue norepinephrine and serotonin, 572
——*see* Leeling, J. L., 909
Phillips, J. R., *see* Cadwallader, D. E., 1220
Piantadosi, C., Kim, C. S., and Irvin, J. L., potential anticancer agents V: the synthesis and biochemical studies of 5-fluorinated pyrimidine-6-carboxaldehydes and derivatives, 821
——Snyder, F., and Wood, R., synthesis of ^{35}S- and ^{14}C-labeled glyceryl thioethers, 1028
Picchioni, A. L., *see* Chin, L., 1353
Pietra, V., *see* Setnikar, I., 112
Pigois, F. E., *see* Maulding, H. V., 1359
Pilpel, N., *see* Evans, N. G., 1228
Pinchuk, G., *see* Kabasakalian, P., 45
Pisano, F. D., *see* Burger, J. M., 110
Pitman, I. H., *see* Higuchi, T., 661
Pitts, O. M., Thompson, H. S., and Hoch, J. H., antibacterial activity of *Solanum carolinense* L., 379
Plinton, C., Mahn, F. P., and Hawrylyshyn, M., Venturella, V. S., and Senkowski, B. Z., colorimetric determination of biotin, 875
Poe, R. D., *see* Puckett, R., 602
Polin, D., *see* Cox, P. L., 987
Polli, G. P., and Frost, B. M., complexation between hexylresorcinol and polyvinylpyrrolidone and its microbiological evaluation, 1543
——Grim, W. M., Bacher, F. A., and Yunker, M. H., influence of formulation on aerosol particle size, 484
Poole, J. W., *see* Hou, J. P., 447
——*see* Hou, J. P., 1510
Poole, W. K., *see* Sumner, E. D., 83
Poon, P. K. C., *see* Wan, L. S. C., 1562
Porcaro, P. J., Shubiak, P., and Manowitz, M., determination of hexachlorophene in whole blood, 251
Portnoff, J. B., *see* Dempski, R. E., 579
Poulsen, B. J., *see* Coldman, M. F., 1098
Powell, D., Nematollahi, J., Guess, W. L., and Autian, J., sorption of benzalkonium chloride by an insoluble polyamide, 842
Powell, D. R., and Banker, G. S., chemical modifications of polymeric film systems in the solid state I: anhydride acid conversion, 1335
Prillig, E. B., effect of colorants on the solubility of modified cellulose polymers, 1245
Prokop, J., *see* Murray, D. H., 1275
Prosser, A. R., and Sheppard, A. J., gas-liquid chromatographic determination of pantothenates and panthenol, 718
Pruyn, F. J., *see* Lange, W. E., 771
Puckett, R., and Poe, R. D., determination of carbachol in aqueous solution, 602

Q

Quimby, M. W., *see* Hershenson, B. R., 1411

R

Racle, F. A., *see* Krupka, L. R., 270
Rader, B. R., chromatographic analysis of chorpheniramine, pyrilamine, and methapyrilene in combination, 1535
Rall, D. P., *see* Dixon, R. L., 1106
Ramstad, E., *see* Guenther, H., 1274
——*see* Ogunlana, E. O., 143

Rao, B. K., and Hamor, G. H., anticonvulsants, IV: vinylogs, alkyl esters of 2-sulfamoylcinnamic acid and related compounds, 332; erratum, 1569
——and Hamor, G. H., novel synthesis of some 1,2-benzisothiazoline derivatives: cyclization of *ortho*-sulfamoylcinnamates by the Michael reaction, 628
Rattie, E. S., *see* Dittert, L. W., 557
——*see* Ravin, L. J., 1242
Ravin, L. J., Shami, E. G., Intoccia, A., Rattie, E., and Joseph, G., effect of polysorbate 80 on the solubility and *in vitro* availability of 2-butyl-3-benzofuranyl 4-[2 - (diethylamino)ethoxy] - 3,5 - diiodophenyl ketone hydrochloride (SK & F 33134-A), 1242
Ray, A. B., *see* Stewart, J. T., 1261
Reese, D. R., *see* Pathak, S. G., 505
Rehm, C. R., *see* Mollica, J. A., 635
Reier, G., *see* Jacobson, H., 631
Repta, A. J., and Higuchi, T., synthesis and isolation of citric acid anhydride, 505
——and Higuchi, T., synthesis, isolation, and some chemistry of citric acid anhydride, 1110
Reuning, R. H., and Levy, G., effect of complex formation on drug absorption IX: determination of the intestinal transfer rate constant of the salicylamide–caffeine complex, 79
Richards, J. H., *see* Higuchi, T., 661
Riegelman, S., *see* Chiou, W. L., 1500
——*see* Chiou, W. L., 1505
——*see* Harris, P. A., 71
——*see* Harris, P. A., 93
Rigberg, M., Vacik, J. P., and Shelver, W. H., utilization of radiometric analysis for measurement of activation of adenyl cyclase by sympathomimetic amines, 358
Riggi, S. J., *see* Engel, R. H., 706
——*see* Engel, R. H., 1372
Riggleman, O. H., *see* Fazzari, F. R., 1530
Rippie, E. G., and Johnson, J. R., regulation of dissolution rate by pellet geometry, 428
Robbers, J. E., *see* Mock, B. H., 1560
Roberts, L. A., fluorometric determination of atropine and hyoscyamine in tablets and injections, 1015
Robison, R. L., and Weinswig, M. H., effect of polyethylene glycol 300 on the viability of bacterial spores, 275
Ronfeld, R. A., *see* Benet, L. Z., 639
Roscoe, C. W., *see* Allen, L. M., 368
Rose, G. M., *see* Cox, P. L., 987
Rosenbluth, S. A., and Cripps, G. W., inhibitory effects of detergents in membrane filters, 440
Rosnati, V., *see* Castagnoli, N., 860
Rosolia, A., *see* Lindemann, C. J., 118
Rossi, G. V., *see* Goldstein, F. J., 253
Rost, W. J., *see* Haggerty, W. J., Jr., 50
Roth, I. L., *see* Ansel, H. C., 836
Roudebush, H. E., *see* Kuzel, N. R., 381
Rowe, E. L., and Morozowich, W., a simple dilution analog computer for simulation of drug distribution processes, 1375
——*see* Morozowich, W., 1485
Rowland, M., amphetamine blood and urine levels in man, 508
Rowley, E. K., *see* Jones, P. H., 337
Rubin, B., Engel, S. L., Drungis, A. M., Dzelzkalns, M., Grigas, E. O., Waugh, M. H., and Yiacas, E., cholecystokinin-like activities in guinea pigs and in dogs of the *C*-terminal octapeptide (SQ 19,844) of cholecystokinin, 955
Rubin, S. H., *see* Carstensen, J. T., 549
Runkel, R. A., Wurster, D. E., and Cooper, G. A., investigation of normal and acne skin surface lipids, 582
Russo, E. J., *see* Bernardo, P. D., 777

S

Salomon, G. W., *see* Guttman, D. E., 120
Sam, J., and Bej, A. J., new compounds: preparation of some esters of trihalogenated alcohols, 500
——and Mozingo, J. R., Jr., preparation of some Mannich bases of bicyclic furans, 1030
——and Mozingo, J. R., Jr., synthesis of 2 - ethyl - 3 - methyl - 5 - morpholinomethyl-4-keto-4,5,6,7-tetrahydrothionaphthene, 1035
——and Shafik, R. M., 2-(3-biphenyl)-ethylamines: potential cardiovascular agents, 952
——and Valentine, J. L., preparation and properties of 2-benzoxazolinones, 1043
——McLaurin, E. B., and Shafik, R. M., preparation of some substituted imidazolidine-2,4-diones, 1282
Sanborn, E. C., *see* Schlagel, C. A., 1453
Sanvordeker, D. R., and Chaubal, M. G., essential oil of *Anemopsis californica* part II: minor constituents, 1213
Saunders, D., *see* Alphin, R. S., 902
Schaubman, R., *see* Felmeister, A., 64
——*see* Felmeister, A., 1232
Schlagel, C. A., and Sanborn, E. C., comparative pharmacodynamic activity of single and divided doses of benzphetamine hydrochloride, 1453
Schleider, E., Eno, D. M., Feldman, J. A., and Galinsky, A. M., quantitative analysis of sodium sulfacetamide solutions in the presence of hydrolysis products, sulfanilamide and sodium acetate, 1258
Schoenwald, R. D., and Belcastro, P. F., sorption of labeled chlorobutanol-^{14}C by nylon and polyethylene, 930
Schott, H., extent of hydration of dimethyl sulfoxide in aqueous solution, 946
——hydrophile-lipophile balance and cloud points of nonionic surfactants, 1443
——hydrophile-lipophile balance and micelle formation of nonionic surfactants, 1131
——surface and micellar properties of a long-chain nonionic surfactant, 1521
Schroeder, L. A., *see* Tang, A. H., 257
Schurman, P., Hussain, A., 684
——*see* Hussain, A., 687
Schwartz, M. A., and Delduce, A. J., kinetic analysis of penicilloic acid and penicilloamides in combination: application to products of reaction of penicillin with tromethane (Tris) and poly-L-lysine, 1137
——chemical aspects of penicillin allergy, 643
——*see* Kinget, R. D., 1102
Sciarrone, B. J., *see* Cutie, A. J., 990
——*see* Weiss, A. L., 980
Searl, R. O., *see* Pernarowski, M., 470
Seidman, M., *see* Boice, R., 1527
Selye, H., Jelinek, J., and Krajny, M., prevention of digitoxin poisoning by various steroids, 1055
Senkowski, B. Z., *see* Geller, M., 477
——*see* Jones, B. C., 607
——*see* Lau, E. P. K., 55
——*see* Plinton, C., 875
Seno, S., Shaw, S. M., and Christian, J. E., distribution and urinary excretion of furosemide in the rat, 935
——Shaw, S. M., and Christian, J. E., kaliuretic properties of diuretic agents measured by isotope dilution, 134
Setnikar, I., and Pietra, V., weight variations of rectal suppositories: suggestions for weight uniformity specifications, 112
Sezaki, H., *see* Kakemi, K., 699
Shafik, R. M., *see* Sam, J., 952
——*see* Sam, J., 1282
Shah, M. H., Mhasalkar, M. Y., Patki, V. M., Deliwala, C. V., and Sheth, U. K., new 1,2,4-(H)-triazole derivatives as diuretic agents, 1398
Shah, R. S., *see* Kanhere, S. S., 1550
Shami, E. G., *see* Ravin, L. J., 1242
Shangraw, R. F., *see* Manudhane, K. S., 616
Shaw, S. M., *see* Bhatti, M. C., 502
——*see* Seno, S., 134
——*see* Seno, S., 935
Shealy, Y. F., *see* James, R. H., 1193
Shefter, E., structural studies on complexes IV: crystal structure of a 1:1 5-chlorosalicylic acid and theophylline complex, 710
Shelver, W. H., *see* Henderson, W. M., 106
——*see* Rigberg, M., 358
Sheppard, A. J., *see* Prosser, A. R., 718
Sherman, W. T., and Gautieri, R. F., cardiovascular and gastrointestinal effects of bradykinin and its potentiation by thiols in rats, 971
——*see* Kasirsky, G., 766
Sheth, U. K., *see* Shah, M. H., 1398
Shubiak, P., *see* Porcaro, P. J., 251
Sidell, F. R., Groff, W. A., and Ellin, R. I., blood levels of oxime and symptoms in humans after single and multiple oral doses of 2-pyridine aldoxime methochloride, 1093
Siegel, F. P., *see* Foreman, R. L., 189
——*see* Mrtek, M. B., 1362
Simon, R. J., *see* Erwin, V. G., 1033
Simonelli, A. P., Metha, S. C., and Higuchi, W. I., dissolution rates of high energy polyvinylpyrrolidone (PVP) – sulfathiazole coprecipitates, 538
——*see* Ghanem, A. H., 165
Sina, A., *see* Karawya, M. S., 1545
Sinkula, A. A., Morozowich, W., Lewis, C., and MacKellar, F. A., synthesis and bioactivity of lincomycin-7-monoesters, 1389
Sinsheimer, J. E., Hong, D. D., and Burckhalter, J. H., fluorescent TLC analysis of traces of penicillin, 1041
Sisenwine, S. F., and Walkenstein, S. D., the metabolic fate of the pteridine diuretic, Wy-5256, 867
Skauen, D. M., *see* Patel, I. C., 1135
Smith, J. B., *see* Mollica, J. A., 635
Smith, N. B., *see* Douglas, J. F., 145
Snyder, F., *see* Piantadosi, C., 1028
Sobers, R. J., *see* Conklin, J. D., 1365
Sofia, R. D., comparison of two methods for measuring drug-induced neurotoxicity, 900
Soine, T. O., *see* Lee, K. H., 675
——*see* Lee, K. H., 681
Solaro, R. J., *see* Buckley, J. P., 348
Solis, M. C. M., *see* Foye, W. O., 352
Soliva, M., *see* Khanna, S. C., 1385
Solomon, M. J., Crane, F. A., Wu Chu, B. L., and Mika, E. S., simultaneous quantitative gas chromatographic determination of atropine and scopolamine, 264
——*see* Wu Chu, B. L., 1073
Sommers, E. B., *see* Ward, J. M., 487
Southworth, B. C., *see* Boice, R., 1527
Speiser, P., *see* Khanna, S. C., 1114
——*see* Khanna, S. C., 1385
Spencer, M. R., *see* Lee, K. H., 464
——*see* Lee, K. H., 1152
Spitznagle, L. A., Christian, J. E., and Ohlrogge, A. J., metabolism of the plant growth regulator 2,3,5-triiodobenzoic acid in soybeans, 1234
Staples, R., *see* Irwin, G. M., 313
Stein, M. L., *see* Grifantini, M., 460
Steinman, M., and Topliss, J. G., synthesis and pharmacological properties of some substituted 1,5-benzodiazocin-2-ones, 830
Stern, K. F., *see* Morozowich, W., 1485
Sternglanz, P. D., *see* James, R. H., 1193
Stevenson, C. E., *see* Kuzel, N. R., 381
Stewart, J. T., Ray, A. B., and Fackler, W. B., colorimetric determination of some sulfonamides with 9-chloroacridine, 1261
Stober, H., *see* Urbanyi, T., 232
Stockage, J. A., *see* Douglas, J. F., 145
Stohs, S. J., production of scopolamine and hyoscyamine by *Datura stramonium* L. suspension cultures, 703
Stoll, R. G., Bates, T. R., Nieforth, K. A., and Swarbrick, J., some physical factors affecting the enhanced blepharoptotic activity of orally administered reserpine-cholanic acid coprecipitates, 1457
——*see* Decato, L., Jr., 273
Strycker, S. J., and Long, J. P., studies on the muscarinic and antimuscarinic activity of benzyltrimethylammonium bromide (BTM), 671
Sugita, E. T., *see* Doluisio, J. T., 1196
——*see* Cressman, W. A., 1471
Sullivan, G., and Albers, J. E., detection and and separation of aliphatic polycarboxylic acids by reversed-phase partition thin-layer chromatography, 887
——*see* Henry, E. D., 1497
Sumner, E. D., Poole, W. K., Entrekin, D. N., and Ike, A. F., water-absorptive properties of selected solids in a lipophilic base I, 83
Sun, S. R., and Connors, K. A., identification of low molecular weight aliphatic esters from rates of alkaline hydrolysis, 1150
Suzuki, A., *see* Howard, S. A., 1325
——*see* Howard, S. A., 1330
Swarbrick, J., *see* Munden, J. W., 1308
——*see* Stoll, R. G., 1457
——thermodynamics of adsorption of *N*-alkyl betaines at the air-water interface, 147
Swartz, C. J., development of IPT standards for tableting tools, 473
Swintosky, J. V., *see* Dittert, L. W., 557

——*see* Doluisio, J. T., 1196
——*see* Irwin, G. M., 313

T

Tahilramani, R., *see* George, T., 47
Tamagnone, G. F., and De Marchi, F., synthesis of *N*-acetyl-DL-glutamic acid 5-dimethylaminoethyl ester, 898
Tan, G. H., *see* Doluisio, J. T., 1200
Tang, A. H., and Schroeder, L. A., anticholinergic activities of imipramine and methylphenidate, 257
Tansey, L. W., *see* Ho, B. T., 130
——*see* Ho, B. T., 219
——*see* Ho, B. T., 563
——*see* Ho, B. T., 998
——*see* Ho, B. T., 1423
Taraszka, M. J., and Delor, R. A., effect of dissolution rate of sulfamethazine from tablets on absorption and excretion of sulfamethazine, 207
Tavares, R. F., *see* Villani, F. J., 138
Taylor, E. H., *see* Orentreich, N., 1279
Taylor, H., *see* Wall, M. E., 839
Tewari, J. P., *see* Matin, M. A., 757
Thakkar, A. L., and Hall, N. A., micellar solubilization of testosterone III: dissolution behavior of testosterone in aqueous solutions of selected surfactants, 68
——and Kuehn, P. B., solubilization of some steroids in aqueous solutions of a steroidal nonionic surfactant, 850
Thio, P. A., *see* Kornet, M. J., 724
Thompkins, L., and Lee, K. H., studies on the mechanism of action of salicylates IV: effect of salicylates on oxidative phosphorylation, 102
Thompson, B. B., and Kulkarni, P. G., sulfones of potential medicinal value I: diazonium coupling products of ethyl *p*-toluenesulfonylacetate, 623
Thompson, H. S., *see* Pitts, O. M., 379
Thompson, R. S., and Gautieri, R. F., comparison and analysis of the teratogenic effects of serotonin, angiotensin-II, and bradykinin in mice, 406
Tomizawa, M., *see* Kondo, T., 255
——*see* Kondo, T., 1378
Tong, T. G., *see* Lee, K. H., 773
Topliss, J. G., *see* Steinman, M., 830
Torosian, G., and Lemberger, A. P., studies on surface films of soybean lecithin III: the effect of lysolecithin on lecithin monolayers at the air-water interface, 864
Tracey, D. E., *see* Johnson, B. J., 1299
Tribo, M., *see* Kadaba, P. K., 1422
Triplett, J., *see* Kadaba. P. K., 1422
Trottier, R. W., Jr., and Malone, M. H., comparative *in vitro* evaluation of cryogenine, cyproheptadine, and diphenhydramine as antagonists of furtrethonium, histamine, and serotonin, 1250
Trumbull, E. R., and Cole, J. R., antitumor agents from *Bursera microphylla* (Burseraceae) III: synthesis of burseran, 176
——*see* Cole, J. R., 175
Tseng, R. G., *see* Chiang, H. C., 1552
Tuckerman, M. M., and Bican-Fister, T., analysis of metronidazole, 1401
——and Bican-Fister, T., assay of mephentermine and its preparations, 1014
——*see* Gibbs, I. S., 116
Tyler, V. E., *see* Ogunlana, E. O., 143

U

Ul-Islam, Q., *see* Cadwallader, D. E., 238
Urbanyi, T., and Budavari, S., new infrared technique for the determination of impurity in substituted anthranilic acid: effect of *ortho* substitution on the aromatic acid carbonyl band, 905
——and Stober, H., infrared determination of iodochlorhydroxyquin in pharmaceutical preparations: analysis of creams, inserts, lotions, and ointments, 232

V

Vacik, J. P., *see* Rigberg, M., 358
Vaishnav, Y. N., *see* Kapadia, G. J., 1157
Valentine, J. L., *see* Sam, J., 1043
Vallner, J., *see* Mroszczak, E. J., 1567
Varma, R. S., and Nobles, W. L., new compounds: *N*-substituted benzothiazoline-2-thiones, 497
Vaughan, J. B., colorimetric determination of acetaminophen, 469
Venturella, V. S., *see* Plinton, C., 875
Verzwyvelt, L. L., *see* Eickholt, T. H., 1289
Villani, F. J., Tavares, R. F., and Ellis, C. A., oximino ethers: dialkylaminoalkyl derivatives, 138
Vocac, J. A., *see* Alphin, R. S., 902
Volgel, A. W., *see* Levy, G., 503
Vyas, A. H., *see* Kanhere, S. S., 1550

W

Wagner, D. L., *see* Conklin, J. D., 1365
Wagner, J. G., and Metzler, C. M., prediction of blood levels after multiple doses from single-dose blood level data: data generated with two-compartment open model analyzed according the one-compartment open model, 87
——interpretation of percent dissolved-time plots derived from *in vitro* testing of conventional tablets and capsules, 1253
——*see* DiSanto, A. R., 1077
Wagner, M., *see* Maulding, H. V., 1359
Waguespack, G. P., *see* Eickholt, T. H., 1289
Walkenstein, S. S., *see* Sisenwine, S. F., 867
Walker, G. C., *see* Baun, D. C., 611
Walker, H., *see* Bhandari, P. R., 880
Walker, K. E., *see* Ho, B. T., 219
——*see* Ho, B. T., 1423
Wall, M. E., Taylor, H., Ambrosio, L., and Davis, K., plant antitumor agents III: a convenient separation of tannins from other plant constituents, 839
Wallace, J. E., determination of phenethanolamine drugs in biologic specimens by ultraviolet spectrophotometry, 1489
Wan, L. S. C., and Hwang, C. L., antioxidant solubility and efficiency, 889
——and Hwang, C. L., effect of synergists on activity of gallates, 626
——and Hwang, C. L., studies on the effect of gallate on the oxidation of aldehydes dispersed in cetomacrogol solutions, 262
——and Poon, P. K. C., effect of salts on the surface interfacial tension and critical micelle concentration of surfactants, 1562
Ward, C. O., and Gautieri, R. F., effect of certain drugs on perfused human placenta IX: mode of action of angiotensin, 592
Ward, D. R., Lathrop, L. B., and Lynch, M. J., dissolution and compatibility considerations for the use of mannitol in solid dosage forms, 1464
Ward, J. B., *see* Kulkarni, A. B., 481
Ward, J. M., and Sommers, E. B., effects of ^{59}Fe on blood and bone marrow of rabbits, 487
Ward, J. W., *see* Alphin, R. S., 902
Warren, A. T., *see* Kabadi, B. N., 1127
Warthen, D., Gooden, E. L., and Jacobson, M., tumor inhibitors: liriodenine, a cytotoxic alkaloid from *Annona glabra*, 637
Wase, A. W., *see* Dempski, R. E., 579
Watkins, W. D., *see* O'Leary, R. K., 1007
Waugh, M. H., *see* Rubin, B., 955
Weber, O. W. A., *see* Geller, M., 477
Weidenheimer, J. F., *see* Lesson, L. J., 355
Weiner, M. A., *see* Aguiar, A. J., 210
Weiner, N. D., *see* Gibaldi, M., 132
——*see* Zatz, J. L., 1493
Weinswig, M. H., *see* Robison, R. L., 275
Weintraub, H., and Gibaldi, M., physiologic surface-active agents and drug absorption IV: effect of pre-micellar concentrations of surfactant on dissolution rate, 1368
Weiss, A. L., and Sciarrone, B. J., release rates of salicylates from cocoa butter I, 983
——*see* Jones, P. H., 337
Wells, J. N., and Andrus, W. G., Jr., fate of 2-phenethylamino-1-phenyl-ethanol,2-^{14}C in rats, 1553
Westby, T. R., *see* Barfknecht, C. F., 490
Weyer, L. G., *see* Medwick, T., 308
Whitbourne, J. E., Mogenhan, J. A., and Ernst, R. R., determination of 2-chloroethanol in surgical materials by extraction and gas chromatography, 1024
White, A. I., *see* Martin, A. R., 340
White, G. N., *see* Mezei, M., 1209
Whitworth, C. W., and Carter, E. R., effect of certain nonionic surfactants on the absorption of salicylic acid from solutions by the frog, *Rana pipiens*, 1285
Wilcox, C. J., *see* Hiestand, E. N., 1403
Williams, B. B., *see* Kochhar, M. M., 1382
Windheuser, J. J., *see* Zoglio, M. A., 222
Withey, R. J., and Mainville, C. A., a critical analysis of a capsule dissolution test, 1120
Wolf, W., and Wu, T., kinetics of the reaction of 1,3-dihydro-1-hydroxy-3-oxo-1,2-benziodoxole with cysteine, 491
Wood, R., *see* Piantadosi, C., 1028
Wormser, H. C., synthetic approaches to the pyrrolo [3,4-*d*] imidazole nucleus, 1038
Wu Chu, B. L., Mika, E. S., Solomon, M. J., and Crane, F. A., quantitative determination of hyoscyamine and scopolamine by direct photodensitometry of thin-layer chromatograms, 1073
——*see* Solomon, M. J., 264
Wu, T., *see* Wolf, W., 491
Wurster, D. E., *see* Runkel, R. A., 582
Wynn, R. J., *see* Nightingale, C. H., 1005

Y

Yamamoto, M., *see* Gyanchandani, N. D., 197
Yao, C., *see* Lau, E. P. K., 55
Yeh, K. C., Loucas, S. P., and Haddad, H. M., light-scattering investigation of protamine sulfate, 1163
Yiacas, E., *see* Rubin, B., 955
Young, J. F., *see* Garrett, E. R., 1224
Yunker, M. H., *see* Polli, G. P., 484

Z

Zatz, J. L., Weiner, N. D., and Gibaldi M., monomolecular film properties of protective and enteric film formers II: evaporation resistance and interactions with plasticizers of poly (methyl vinyl ether/maleic anhydride), 1493
Zelmer, J. E., *see* Aguiar, A. J., 983
Zoglio, M. A., Maulding, H. V., and Windheuser, J. J., complexes of ergot alkaloids and derivatives I: the interaction of caffeine with ergotamine tartrate in aqueous solution, 222
——*see* Maulding, H. V., 1359
Zografi, G., *see* Frank, S. G., 993

Subject Index

A

Absorbance—protein binding analysis, 457
ratio technique—tetracycline HCl analysis, 470
Absorption, drug—isolated gut segments, stomach, *in situ*, 1196
drug—physiologic surfactant effect, 1005
exsorption rates—goldfish, 721
model—solids in lipophilic bases, 83
nitrofurantoin—parenteral and oral administration, 1365
rate constants—sulfamethazine, 207
rates—salicylamide dosage forms, 1468
salicylic acid—frog, 1285
Accumulation, furosemide—repeated administration, 935
4-Acetamidophenyl 2,2,2-trichloroethyl carbonate (ATC)—hydrolysis, 557
Acetaminophen dosage forms—analysis, 469
Acetate-malonate condensation—rubrofusarin formation, 1560
Acetic acid extraction—aloe-emodin acetylation, 833
acid, glacial—acidity, equilibria measurements, 308
Acetohydroxamic acid formation—kinetics, mechanism, 1069
Acetonitrile, solvent—anthranilic acid, 905
***N*-Acetyl-DL-glutamic** acid 5-dimethylaminoethyl ester—synthesis, 898
***N*-Acetylation**—hydrazino compounds detoxification, 1433
Acetylcholine, endogenous—bioassay, 1168
Acetylcholinesterase reactivators—organophosphorus inhibited, 460
reactivators—structure activity relationships, 857
Acetylsalicylic acid—i.v., oral administration, 71
***N*-Acetylserotonin**—hydroxyindole-*O*-methyltransferase binding, 130
Acids, bases—epoxy resin curing agents, 1114
Acne, normal skin—surface lipid acidity, 582
Acospectoside A—structure determination, 1555
Acronine dosage forms—analysis, 1548
Acrylonitriles, heterocyclic—synthesis, 1166
Action mechanism—radiation-protective agents, 283
site relation—model compartment drug concentration, 422
Acylation rate—lincomycin derivatives, 1291
***N*-Acyltryptamines**—synthesis, 563
Additivity, incremental—molar attraction constants, 1281
Adenosine deaminase inhibition—tetrafuranosyl adenines, 1275
triphosphate (ATP) activity—cerebral cortex, 1161
Adenyl cyclase activity—analysis, 358
Adrenergic activity—sympathomimetic amines, 882
blocking agents—structure-activity relationships, review, 511
Aerosol particle size—formulation effect, 484
sprays—chilling effect, 481
nonmetered—dispensing efficiency, 245
Agar diffusion bioassay, differential—cytotoxic activity, 633
plate, liquid shake cultures—assay methods, 1022
Age, cirrhosis—liver DNA contents, 1036
Air-water interface—surface pressure, 1308
Albumin interaction—riboflavin and -5′-PO_4, 58
Alcohol, nondrug conditions—perceptual response differentiation, 99
Aldehyde dispersions—cetomacrogol solutions, 262
oxidase activity—perinatal period, 1149
Aldopentose acid degradation—kinetics, mechanism, 813
Aldose-ketose equilibrium, dilute alkali—glucose transformation to fructose, 1224
Aliphatic esters, low molecular weight—identification, 1150
Alkaline hydrolysis rates—aliphatic ester identification, 1150
Alkaloid extraction—belladonna leaves, 1085
Alkane hydrocarbons, *S. maritima*—extracted, 1411
1-Alkanols, carbon number—paraben solubility, 216
Alkylamine hydrochlorides—*in vitro* hemolytic action, 255
Alkyl betaines, normal—monolayer at air-water interface, 1228
Aloe-emodin monoacetate—inadvertent formation, 833
Alpha-receptor preparations—intact animal, 511
Amine mixtures in tablets, syrups—analysis, 745
3-β-Amino-ethyl-5-hydroxybenzo(b)-thiophene—improved synthesis, 892
4-Amino-*N*-(2-methoxyethyl)-7-(2-methoxyethyl-amino)-2-phenyl-6-pteridinecarboxamide (Wy-5256)—metabolism, 867
2-Amino-2-methyl-1-propanols, *N*-substituted—synthesis, 767
2-Amino-2-ethyl-1,3-propandiol—epoxy beads, dissolution behavior, 1385
Aminoalkylcatechols—penicillinase simulation, 1102
***p*-Aminobenzoic** acid—alkyl esters synthesis, 1422
Aminoethanesulfonylphenetidine — biochemistry, 1217
6-Aminopenicillanic acid—penicillin intermediate, contaminant, 643
Aminorex-^{14}C dosage forms—*in vitro* dissolution rates correlation *in vivo* availability, 1516
2-Aminotetralins—synthesis, 340
Amitriptyline, basic metabolites—analysis, rabbit organs, 764
Ammi visnaga, fruits and extracts—assay of dihydroseselins, 1545
Amphetamine—blood, urine levels, 508
Amphoteric penicillins in solution—apparent stability, 1510
Ampicillin, related penicillins—amino acid similarities, 1510
solution—degradation kinetics, mechanism, 447
Anabolic steroids—antidigitoxin activity, 1055
Analgesic activity—2-aminotetralins, 340
activity—trihalogenated monohydroxy alcohol esters, 500
Analog computer simulation—drug distribution processes, 1375
Analyses, comparison—glyceryl trinitrate tablets, 122
Analysis interference—iodochlorhydroxyquin determination, 232
multichannel gamma ray—density gradient, 1449
Androgenic steroids—antidigitoxin activity, 1055
Anemopsis californica oil—minor constituents, 1213
Anesthetic activity—lidocaine analogs, 724
Anesthetics, local—conformational aspects, 553
local—synthesis, 896
Angiotensin—activity mechanism, 592
II—teratogenic effects, mice, 406
spasmogenic activity—flavonoid effect, 621
Anhydrous, hydrated forms—testosterone, 68
Aniline-citric acid anhydride—reaction products, 1110
Animals—marine, 1
Anion effect—phase transfer thermodynamics, 201
Antacid effect—absorption rate, aspirin-induced bleeding, 1277
Anthranilic acid-*N*-myristyl-β-aminopropionate—dialysis acceleration, 595
acid, substituted—impurity determination, 905
Anthraquinone dosage forms—analysis, 197
glycosides—extraction, 833
Antiandrogenic activity—oximino ether derivatives, 138
Antiarrhythmic properties—adrenergic blocking agents, 511
Antibiotics, radiopharmaceuticals—pharmaceutical aspects, 777
Anticancer screening—5-fluorinated pyrimidine-6-carboxaldehydes, 821
Anticholinergic agents—activity, 257
agents—bioassay method, 225
Anticonvulsant activity—2-sulfamoylcinnamic acid alkyl esters, 332
Antidandruff shampoos—effectiveness testing, 1279
Antidermatophytic agents—griseofulvin derivatives, 1022
Antidotal effectiveness—activated charcoal, Arizona montmorillonite, evaporated milk, 1353
Antiepileptics, potential—synthesis, 1295
Antifungal activity, determination—microculture slide technique, 1362
screening—sorbic acid amide, amine salts, *N*-substituted, 942
Antigenic determinants—penicillin allergy, 643
Antihidrotic activity—screening, 902
Antihistaminic activity, comparative—cryogenine, cyproheptadine, diphenhydramine, 1250
Antihypertensive agents—synthesis, activity, 432
Anti-inflammatory constituents—*Achillea millefolium* flower heads, 938
Antimalarial activity—oxazolidines, derivatives, 499
activity—2-sulfamoylcinnamic acid alkyl esters, 332
Antimicrobial activity—DMSO solutions, 836
activity—tetrofuranosyl adenines, 1275
activity, hexylresorcinol—PVP complexation effect, 1543
activity—β-phenethylamine derivatives, 1558
spectrum—*S. carolinense*, 379
Antimony trichloride—color reagent, 872
Antimuscarinic activity—chlorpheniramine, pyrilamine, procaine, 1313
activity, comparative—cryogenine, cyproheptadine, diphenhydramine, 1250
Antimycin A_1 hydrolysis—kinetics, mechanism, 316
Antinicotinic activity—chlorpheniramine, pyrilamine, cocaine, 1313
Antioxidants—gallates, 889
identification, 1552
prooxidant activity, 262
Antioxidation effect—gallates-synergists, 626
Antiradiation compounds—structure-activity relationships, 283
Antiserotonin activity, comparative—cryogenine, cyproheptadine, diphenhydramine, 1250
Antitubercular activity—thiazolyl thiocarbanilides, 852
Antitumor activity—Schiff bases, 767
agents—*Bursera microphylla*, 175; 176
agents—*Liriodendron tulipifera*, 877
alkaloid—leurosine, 694
screening—*Agave schottii* saponins, 589
Antitussive activity—*N*-[indenyl(3)]ureas, 47

Apparatus—aerosol chill-effect determination, 481
dissolution—new design, 611
dissolution studies, 1385
Apparent partition coefficients—tetracyclines between *n*-octanol, aqueous buffers, 1184
volume of distribution ($V_d\beta$—β phase, drug elimination, 193
Aqueous-to-lipid transport—experimental methods, 1330
Area limit, surface excess—surfactant molecules, 1521
Areas, concentration-time curves—i.v., oral administration, 71
Arizona montmorillonite, activated charcoal, evaporated milk—comparative antidotal effectiveness, 1353
Aryloxyacetamidines—synthesis, 50
Arylsulfate esters—synthesis, enzymic hydrolysis, 33
Ascariasis, effect—serotonin toxicity, 279
Ascorbic acid effect—tetracycline-riboflavin solution stability, 355
acid in multivitamin products—automated analysis, 477
Aspirin dosage forms—stability screening, 1359
effect—oxidative-phosphorylation uncoupling, 102
induced gastrointestinal bleeding—biopharmaceutic aspects, 1277
plasma concentration *versus* time, simulation—computer analysis, 1477
prolonged administration—salicylurate formation, 503
strychnine, kerosene poisoning—antidotes, 1353
ultrasonic degradation, 62
Asymmetric induction—polyamino acid, helical conformation, 1419
Atomic absorption spectroscopy—analysis, 455, 604
Atrial depression—acetylcholine, physostigmine produced, 1313
Attenuated total reflectance spectrophotometry—polymorph identity, 1145
Atropine, hyoscyamine—determination, 1015
scopolamine—simultaneous determination, 264
Automated procedure—ascorbic acid analysis, 477
procedure—digoxin, single tablets, 1018
procedure—reserpine tablet analysis, 1127
techniques, pharmaceutical analysis—review, 381
Autoradiography—furosemide and metabolites, 935
radioactivity determination, 1106

B

Bacterial spore germination—PEG 300 effect, 275
Barbiturate mortality rates—thyroid effect, 183
Barbiturates—analysis, 370
mass spectra, 775
Belladonna alkaloid dosage forms—analysis, 1015
Benzaldoxime—synthesis, 490
Benzalkonium Cl—sorption by insoluble polyamide, 842
Cl tablets—urea effect, 238
Benzamide, *N*-substituted derivatives—stability, 560
1,2-Benzisothiazoline-3-acetic acid 1,1-dioxide alkyl esters—synthesis, 628
Benzocaine incompatibility—lozenge excipients, 45
1,5-Benzodiazocin-2-ones, substituted—synthesis, 830
1,4,5-Benzodioxazocine derivatives—synthesis, 1460
Benzoic acid effect—salicyluric acid formation, salicylic acid, 321
acid inhibition—salicyluric acid formation, 827
Benzothiazoline-2-thiones, *N*-substituted—synthesis, 497
Benzoxazolinones—synthesis, properties, 1043
1,4-Benzoxazepine derivatives—synthesis, 1460
Benzoyl peroxide—degradation products, 566
Benzphetamine HCl activity—single, divided dose effect, 1453
Benzyl alcohol—analysis in dosage forms, 118
Benzyl-^{14}C-penicillin transport—cerebrospinal fluid to blood, 1106
Benzylideneanilines—diethyl phosphonate addition, 106
Benzyltrimethylammonium bromide (BTM)—activity, 671
Beta-receptor preparations—intact animal, 511
Betaines, *N*-alkyl—air-water interface adsorption, 147
Bicyclic ring systems, new—synthesis, 1460
Bile acid effect—reserpine blepharoptosis, 273
Biliary excretion—Wy-5256, 867
urinary excretion—SK&F 33134-A-^{14}C, 1242
Bimolecular lipid membranes, 149
Bioactivity, *in vivo, in vitro*—lincomycin-7-monoesters, 1389
lincomycin-2-PO_4, 1485
Bioassay method, anticholinergics—surgically intact dog, 225
clinical—benzphetamine HCl activity, 1453
Biological activity relationship, tetracyclines—pH-octanol solubility profiles, 1184
half-life—2-PAMCl, 1093
Biopharmaceutics, 777
Biotin determination, 875
Biotransformation interactions—drugs, 321
radiolabeled gramine, 39, 42
2-(3-Biphenylyl)ethylamines—synthesis, 952
5(or 4)-[3,3-Bis(2-chloroethyl)-1-triazeno]-imidazole-4(or 5)-carboxamide—stability, 1193
Bishydroxycoumarin (BHC)—distribution, *spectabilis,* 1298
Bis-Noryangonin, occurrence—*Gymnopilus* elimination, 1001
Bitterness, erythromycin salts—alkyl group, stability relationship, 337
Blepharoptotic activity, reserpine—cholanic acid coprecipitation effect, 1457
Blood levels, single dose—multiple-dose prediction, 87
pressure—bradykinin effect, 971
Blue tetrazolium—color reagent, 574
Bond cleavage C-N—hydrazino compounds detoxification, 1433
Bone marrow produced cells—^{59}Fe depletion, 487
Books
Actualities Pharmacologiques, 1432
Anatomisch-mikrochemische Drogenanalyse: Ein Leitfaden, 1432
Applied Pharmacology, 1431
Bacteriology Primer in Air Contamination Control, 1432
BBL Manual of Products and Laboratory Procedures, 1432
Bibliography of Pharmaceutical Reference Literature, 1432
The Biochemistry of Foreign Compounds, 509
Biological Oxidations, 509
Biologische Prufung und Leistungskriterien der Sterilisation, 1300
The Biosynthesis of Deoxyribose, 1432
The Bond to Carbon, 1300
Botanique Generale, 1432
Chelates in Analytical Chemistry, 1431
Chemical Instrumentation, 1300
Combined Effects of Alcohol and Other Drugs, 642
Cystic Fibrosis, 1300
Deutsches Arzneibuch (DAB 7) Ausgabe 1968, 1300
The Formation of Urine by the Kidney, 1300
Gonadotropins, 1968, 1432
Grundlagen der allgemeinen Pharmakologie, 1432
Grundlagen der Pharmakokinetik, 1300
Hearing Mechanisms in Vertebrates, 1300
Hematologic Reviews, 1432
Hospital Today. Bibliographic Retrospective L'Hopital D'Aujourd'hui, 1300
A Manual of the Penicillia, 282
Medical, Dental and Pharmaceutical Auxiliaries: A Survey of Existing Legislation, 1300
Membrane Models and the Formation of Biological Membranes, 510
The Mentally Abnormal Offender, 1300
Methoden und Ergebnisse der Pharmakologie und Toxikologie, 1300
Methods of Biochemical Analysis, 1300
Les Methods Analytiques Dans Les Recherches Sur Le Metabolisme Des Medicaments, 1432
Molecular Orbital Theories of Bonding in Organic Molecules, 282
Molecular Photochemistry, 1432
Peptides 1968, 1431
Pharmacology Applied to Patient Care, 1432
Pictorial History of Psychology and Psychiatry, 1432
Powdered Vegetable Drugs, 1300
Precis De Botanique, 1432
Principles of Radiological Health, 1432
Problemes Actuels De Biochimie Appliquee-2^E Serie, 1432
Prostaglandin Symposium of the Worcester Foundation for Experimental Biology, 1300
Quantitative Paper and Thin-Layer Chromatography, 1432
Selected Pharmacological Testing Methods, 510
A Short History of Psychiatry, 1432
Sterilisation Desinfektion und Entwesung, 1432
Synthetic Procedures in Nucleic Acid Chemistry, 1432
Teaching Without Grades, 1432
The Technology of the Tetracyclines, 642
WHO Expert Committee on Drug Dependence, 1432
The Wiswesser Line-Formula Chemical Notation, 510
Boron trifluoride-ethyl ether, catalyst—*p*-aminobenzoic acid alkyl esters, 1422
Bradykinin—gastrointestinal, cardiovascular effects, 971
spasmogenic activity—flavonoid effect, 621
teratogenic effects, mice, 406
Brain, *in situ* isolated—drug perfusion, 885
localized injection, 1147
self-stimulation rates—X-irradiation effect, 128
Bratton and Marshall reaction—analysis, 45, 55, 207
Bromothymol blue—color reagent, 749
Buffer concentration effect—thiol ester hydrolysis, 687
Buffered aspirin tablets—assay methods comparison, 120
Buffers, pharmaceutical—pH, tonicity, 990
Burseran—structure identification, 175
synthesis, 176
2-Butyl-3-benzofuranyl 4-[2-(diethylamino)-ethoxy]-3,5-diiodophenyl ketone hydrochloride (SK&F 33134-A), ^{14}C-labeled—solubility, availability, 1242
***N*-Butyl** lithium effect—9-methyl-10-benzylacridine, 335
***n*-Butylaminomethanesulfonic** acid—synthesis, model solutions, 730

C

C-17 side chain conformation—4-chloro-derivative, cortisone, 1159
Cactaceae alkaloids—*Echinocereus merkeri,* 1413
Caffeine effect—salicylamide transfer, 79
ergotamine tartrate—interaction, 222
tannin precipitation, 839
α-Calacorene—isolation, identity, 738
Calcium chloride effect—alkaloid extraction, 1085
determination—pharmaceuticals, 604
retention—rats, 502
Cannula-injection system—cerebral injections, 1147
Cantharidin—*Mylabris* biosynthesis, 1274
Capacity-limited formation—salicylurate, 503
Capsule absorption—active components, 604
dissolution testing—methodology, 1120
Carbachol solutions—analysis, 602

Carbamates—determination, biological fluids, 145
N-substituted, dosage forms—automated analysis, 1537
***N*-Carbobenzoxy** amino acids, coupling—di- and tripeptide pentachlorophenyl active ester hydrochlorides, 976
amino acids-pentachlorophenyl esters—coupling, 281
***N*-Carbobenzoxy-L-prolylglycylglycine** ethyl ester—synthesis, 1299
β-Carbolines, 9-substituted—synthesis, 219
Carbon dioxide-^{14}C liberation, *in vitro*—carbonic anhydrase, 909
Carbonic anhydrase activity—analysis, 909
Carboxylic acid derivatives, acrylonitriles—synthesis, 1166
Cardiotoxicity—acospectoside A, 1555
Cascade impactor—aerosol particle size determination, 484
Catalase inhibition—radiation-protective activity, 352
Catalysts—stereospecific hydrogenation, 1142
Catecholamine uptake—epinephrine activity, 253
Catharanthus *alkaloids*—leurosine structure, chemistry, 694
Cation-exchange—dihydrostreptomycin separation, 136
Cell cultures, mammalian—filter extract inhibition, 440
cultures—toxicity determination, EtO residual, 1007
membrane phospholipids—surfactant effect, 1378
suspensions—respiration, glycolysis determinations, 821
Cells, microbial, tumor, growth inhibition—furamoside combinations, 775
Cellulose polymers, solubility—colorant effect, 1245
Cephalosporins-penicillin—antigenic determinant similarities, 643
Cephalothin hydrolysis—aminoalkylcatechols, catalysts, 1102
Cerebral metabolism—newborn dog, 885
Ceric sulfate—titrant, 1011
Cervical ganglion perfusion—tropolone, desmethylimipramine, epinephrine, 253
Chelidonium majus—alkaloids, isolation, 372
Chemistry—marine pharmaceuticals, 1
Chill index—aerosol sprays, 481
Chloramphenicol capsules—dissolution, 1120
effect—monoamine oxidase synthesis, 1033
palmitate, polymorphic—dilatometric behavior, 963
palmitate polymorphs—dissolution, tertiary butanol-water, 983
solutions—percutaneous absorption, 210
Chlorisondamine effect—pressor response, *d*-, *l*-epinephrine, 1417
9-Chloroacridine—chromogenic reagent, 1261
Chlorobutanol-^{14}C—synthesis, 930
5 - Chlorobutyl - 2 - oxazolidinones—synthesis, 362
2-Chloroethanol extraction, determination—surgical materials, 1024
2-(*p*-Chlorophenoxy)-2-methylpropionic acid derivatives—synthesis, 366
2 - (*p* - Chlorophenylthio) - 2 - methylpropionic acid derivatives—synthesis, 366
5 - Chloropropyl - 2 - oxazolidinones—synthesis, 362
5-Chlorosalicylic acid-theophylline complex—crystal, molecular structure, 710
Chlorpheniramine, pyrilamine, methapyrilene combination—analysis, 1535
pyrilamine, procaine effect—induced atrial depression, 1313
Chlorpropamide tablets—analysis, 235
Choice procedure—test method, 99
Cholecystokinin—gallbladder-intestinal contraction, gastric secretion, 955
Cholesterol—GLC internal standard, 1548
Cholestyramine—bile-salt anion binding, 179
Chromatographic techniques—automated, 381
Chromatography, column, paper—separation, 186
Chronoamperometry, 1171
Cinchona alkaloids, exchange rates—sulfonic acid cation exchange resins, 1550
Circular dichroism measurements—CMC determination, 1428
***cis* - Hexahydropyrrolo[3,4 - *d*]imidazole - 2-one**—synthesis, 1038
Citric acid anhydride—synthesis, characterization, 1110
acid anhydride—synthesis, isolation, 505
acid procedure—free salicylic acid determination, 120
Clearing factor activity, emulsions, 1372
Cleft palate induction, inhibition—mice, 766
Cloud point determination, significance—surfactants, 1443
CMC effect—benzalkonium Cl sorption, 842
HLB relationships—nonionic surfactants, 1131
plateau surface above CMC—surfactants, 1521
Cobalt-cortisone effect—cleft palate, mouse fetus, 766
Cohesive energy—micellar size, 993
Colistimethate sodium solutions—equilibria phenomena, 730
Colorant effect—tablet, dissolution, absorption, 1245
Colorimetric analysis—automated spectrophotometric procedure, 1537
analysis—hemolysis determination, 1540
analysis—spectrophotometer, 55; 79; 110; 122; 141; 235; 258; 270; 313; 352; 425; 428; 443; 447; 457; 469; 574; 599; 602; 721; 749; 764; 872; 875; 967; 1011; 1018; 1060; 1064; 1069; 1149; 1217; 1258; 1261; 1359; 1393; 1414; 1468; 1524
analysis—titration, 1014
method—identity, 1401
Colorimetry—analysis, 938
Column chromatography—separation, 39; 75; 110; 120; 675; 738; 740; 747; 770; 877; 1028; 1110; 1262; 1530; 1535; 1568
chromatography—separation, analysis, 355
chromatography—separation, identity, 938
liquid-liquid partition chromatography—extraction, 1117
Compatibility—mannitol, drugs, 1464
Complex formation, aqueous solution—pyridine-carboxylic acids, hydroxypyridines, 699
formation—drug absorption, 79
formation—drug absorption, 721
formation—hydrogen bonding interaction, 661
Complexes—structural studies, 710
Compression effect—lecithin-lysolecithin films, 864
Computer systems—automated analysis, 381
Concentration gradient, salicylamide-caffeine—transfer rate effect, 79
Condensation reaction—sulfonamide derivative synthesis, 907
Conflict procedure—test method, 99
Conformation preference—*N,N*-dimethyl-9-carboxamido-9,10-dimethylacridane, 1026
Contamination determination, pharmaceutical preparation—methodology, 1532
Cooling curve, thaw-melt methods—DTA comparison, 301
Coptisine, *C. majus*—isolated, identified, 372
Cortical electrical activity depression—ATP effect, 1161
Cortisone side chain—structure, conformation, 1159
Costunolide—isolation, 877
Coumarin anticoagulants, elimination—pharmacokinetics, 845
anticoagulants—pharmacokinetics, 1001
Sphenosciadium capitellatum, 675
Creams—creep testing, 418
Creep compliance—ointment, 412
Critical micelle concentration, surfactants—salts effect, 1562
micelle concentration—conductivity measurements, 33
micelle concentration—L-*N*-decyl-*N*-*N*-dimethylalanine hydrobromide, 1428
Cryogenine, cyproheptadine, diphenydramine—*in vitro* activity comparison, 1250
Cryoscopic properties—drugs, 1540
Crystalline structure data—cortisone side chain conformation, 1159
transformation *in situ*—antihypertensive salt, 377
Crystallinity—solid-solid equilibria, 1190
Crystallographic properties—identity, 770
Culture media—sterility testing, 1301
Cupric ion chelation—ethambutol, 110
Cyanogen Br-barbituric acid—color reagent, 749
Cycling, repeated, effect—hysteresis, 1308
Cyclohexanol—internal standard, 118
Cycloheximide, streptovitacin A hydrolysis—comparison, 1203
Cysteine-β-nitrostyrene interaction, 1155
oxidation—kinetics, 491
Cytotoxic alkaloid—*Annona glabra*, 637
principle—*Ambrosia ambrosioides*, 186
Cytotoxicity—acospectoside A, 1555
C. majus alkaloids, 372
screening method, 633

D

Damsin—isolated, identified, 186
Dantrolene Na and metabolites—analysis, 987
Deamination, deuterio-*l*-amphetamine, d_1 SO_4—isotope effect, 189
Degradation, benzoyl peroxide—pharmaceuticals, 566
drug—solid dosage forms, 549
hydrocortisone hemisuccinate—first-order reaction, 574
product, quinidine—isolated, identified, 770
products, chlorpropamide—analysis effects, 235
rate, ampicillin—alcohol, salt effect, 447
6-Demethyl-griseofulvin—disposition kinetics, dogs, 1500
3-Demethylmescaline—isolation, identification, 1157
Density—dimethyl sulfoxide-water mixtures, 946
gradients oil-in-water emulsions—analysis, 1449
Deoxyribonucleic acid (DNA) determination—normal, abnormal human livers, 1036
Derivatives—pantothenates, panthenol, 718
Dermatitic effect—nonionic surfactants, 1209
Detergents in membrane filters, 440
Deuterio-*l*-amphetamine, d_1 SO_4—synthesis, 189
Dexamethasone-^{14}C release, penetration—ointments, 579
Dextromethorphan absorption—rat stomach, 599
test amine, 201
Diagram—automated analysis, digoxin, 1018
automated analysis procedure, 1127
automated procedure—meprobamate, related compounds, analysis, 1537
cannula-injection system, 1147
dissolution apparatus, 611; 1120
dissolution apparatus—column-type, 1265
interphase transport determination apparatus, 1330
in vitro percutaneous absorption apparatus, 210
lower punch pulldown force instrumentation, 248
nitrogen layering, 242
polymer dissolution test apparatus, 586
tensiometer, 83
Diagrams—models, drug distribution, 1375
punch and dye standardization, 473
Dialkylaminoalkyl derivatives, oximino ethers—synthesis, 138
Di-Alkyl Na sulfosuccinates—micellar weights, 993
Dialysis membrane—nylon, 753
salicylic acid complexation measurement, 1285
2,3-Diaminonaphthalene—color reagent, 1524
3,5 - Dibromo - 3′ - isopropyl - L - thyronine—synthesis, 1139
Dicalcium PO_4 preparation—biotin determination, 875
2,6-Dichloroindophenol, acetaldehyde presence—analysis method, 1149
2,6-Dichlorophenolindophenol—viable cell detection, 633
Dielectric constants, 1-alkanols—paraben solubility, 216
constants—dioxane-water mixtures, 204
constants—ethanol-water mixtures, 364
requirements—parabens, 364
requirements—parabens solubility, 204
Dienestrol creams—analysis, 1262
5 - Diethylaminoacetamido - 2 - arylimino - 3-aryl-4-thiazolidones—synthesis, 896

Differential responses—test procedures, 99
thermal analysis (DTA)—interaction determination, 301
thermal analysis—penicillins, 631
Diffractometry—5-chlorosalicylic acid-theophylline complex, 710
Diffusion coefficient—benzalkonium Cl-polyamide system, 842
effects—drug transport rates, 1341
Digitoxigenin, digoxigenin acetals—synthesis, 228
Digitoxigenone, digoxigenone ketals—synthesis, 228
Digitoxin poisoning—steroid effect, 1055
Digoxin tablets—analysis, 1018
1,3 - Dihydro - 1 - hydroxy - 3 - oxo - 1,2-benziodoxole—cysteine oxidation, 491
Dihydroseselins, assay, 1545
Dihydrostreptomycin suspension—analysis, 136
1,8-Dihydroxyanthraquinone effect—gastrointestinal segments, 1289
Dimethyl sulfoxide—antimicrobial activity, 836
1,3-Diiminoisoindolines—synthesis, 496
Dilatometric profiles—chloramphenicol polymorphs, 963
2,2-Dimethoxypropane-water reaction—analysis method, 1089
***N*$_7$-Dimethyl** and methylguanosine, urine—isolation, identification, 75
2-Dimethyl-aminoethanethiol propionate formation—aqueous buffers, 684
***N,N* - Dimethyl - 3,4 - dimethoxyphenethylamine**—isolation, identification, 1413
Dimethyl sulfoxide hydration—aqueous solution, 946
2-Dimethylaminoethanethiol propionate—hydrolysis, aminolysis rates, 687
Disk-plate method—antifungal analysis, 942
Disproportionation, organic solvents—lidocaine sulfate dihydrate, 1297
Dissociation constants, overall—salts, bases, acid, 308
Dissolution characteristics—griseofulvin fast-release solid dispersions, 1505
disintegration—compressible starch tablets, 616
macromolecules, 586
method—column-type apparatus, 1265
rate—absorption, excretion effect, 207
rate, ergotamine tartrate—caffeine effect, 222
rate—pellet geometry effect, 428
rates—mannitol dosage forms, granules 1464
rates—salicylamide dosage forms, 1468
rates—sulfathiazole-PVP coprecipitates, 538
rates—surface area relationship, 1190
rates—surfactants, gastric mucin, 1368
rates, tablets—spray-dried powder effect, 125
reserpine-cholanic acid coprecipitates, 1457
solid dosage forms—apparatus, 611
tablets—micellar solution, 132
Distribution, excretion—prazepam-^{14}C, 960
parameter, relation—dissolution data, 1253
ratios—pseudo-distribution, infusion equilibria, 327
volume—amphetamine, 508
volume terms—comparison, 639
Diuretic activity—1,2,4(H)-triazole derivatives, 1398
agents—kaliuretic properties, 134
(Wy-5256), radioactive—absorption, excretion, 867
Dopamine, urinary levels—diethyldithiocarbamate, Na effect, 1481
Dosage forms, compressible starch—high, low drug content, 616
forms—nitrofurantoin, 1365
Dose-response—2-PAMCl, 1093
Dragendorff's reagent—color development, 1073
Drug absorption—intestinal, 1200
diffusion—blood to gut lumen, 1196
distribution—instantaneous *versus* constant rate i.v. administration, 327
effect—angiotensin activity, 592
epoxy resin beads—preparation, 1114
induced neurotoxicity—measurement method comparison, 900
Dry column chromatography—separation, 589
Dye incorporation—agar plate seed layer, 505

E

Editorials
The Conscience of the Industry (May)
Department of Science—Pro or Con? (July)
For a More Secure Foundation (October)
Future Course of Health Care (June)
Good Manufacturing Practices (November)
In the Interest of an Improved Journal (January)
In the Public and Professional Interest (August)
A New Dimension in Drug Information (April)
Product Identification in Journal Articles (February)
Relating Apples to Oranges (December)
Sharper Definition of Storage Temperature (September)
Unraveling Nature's Secrets (March)
EEG—CNS effect, benzphetamine HCl, 1453
recording—ATP cortical effect, 1161
Electroanalytical technique—applications, 1171
Electrode position, brain—self-stimulation effect, 128
Electrodes, response characteristics, 1171
rotated disk, 1171
Electrolyte effect—cholestyramine binding, 179
Electron microscopy—cells exposed to DMSO, 836
spin resonance—photodegradation determination, 360
Electrophoresis—analysis, 58; 569; 730
disc—identification, 938
purity testing, 1568
Eledoisin, spasmogenic activity—flavonoid effect, 621
Elimination rates—dose relationship, 1001
Emetine effect—monoamine oxidase synthesis, 1033
Emodin isolation—*Rumex hymenosepalus*, 904
Emulsions, curves—Pearl-Reed *versus* Gompertz, 1449
oil-in-water—interaction of components, 1372
Entropy, enthalpy, free energy—micelle formation, 1521
Environment, marine—characteristics, 1
Environmental conditions—sterility testing, 1301
Enzyme inhibitors—synthesis, action mechanism, 130
systems, serum—organochlorine insecticide effect, 569
Enzymes effect—alkaloid extraction, 1085
human plasma—ATC hydrolysis, 557
Enzymic hydrolysis—molecular aggregation effect, 33
Eosine yellowish—reagent, 1015
Epi- and anhydrotetracycline presence—tetracycline HCl analysis, 470
Epinephrine inhibition—ganglionic transmission, 253
relative potency, *d*, *l* isomers, 1417
Epoxy resin beads—dosage forms, 1114, 1385
Equations—solute transport, oil-water system, 1325
Equilibrium constants—*n*-butylaminomethanesulfonic acid solutions, 730
state blood levels—prediction, 87
Equipment—differential response testing, 99
pharmaceutical research, 777
Ergot alkaloids—biosynthesis, 143
alkaloids, derivatives—complexes, 222
Erythocyte aggregation—alkylamine hydrochlorides, 255
hemolysis—toxicity determination, EtO residual, 1007
Erythrocytes behavior—water-amide solutions, 1220
^{59}Fe effect, 487
Erythromycin sal s, insoluble—synthesis, 337
Esters, ketoximino—synthesis, 1382
Estrogen-progestin combination—analysis, 872
Ethambutol—analysis, 110
Ethanol effect—goldfish turnover time, 1077
Ethers, ketoximino—synthesis, 1382
Ethyl acetate—hydrolysis, hydroxyaminolysis, 1069
p-toluenesulfonylacetate diazonium derivatives—synthesis, 623
2 - Ethyl - 3 - methyl - 5 - morpholinomethyl-4 - keto - 4,5,6,7 - tetrahydrothionaphthene—synthesis, 1035
Ethylene oxide residual, plastics—toxicity, 1007
oxide sterilized plastic, rubber—2-chloroethanol determination, 1024
Ethylnorepinephrine activity—mescaline effect, 1169
Ethynodiol diacetate—determination, 872
Everted intestine—test membrane, transfer rate, 79
intestine—transfer rates, 967
rat intestine—experimental technique, 425
Excretion rates—salicyluric acid, as test drug, as metabolite, 827
urine, feces—furosemide, 935
3 - *exo* - (*N,N* - Dimethylaminomethyl - 2-norboranyl)-4-*n*-butoxybenzoate epimers—synthesis, 553
Extraction comparison—boiling water, ultrasonic, 1135
procedure—hexachlorophene in blood, 251
Extrusion process—pellet formation, 428

F

Fasting effect—drug absorption, 1196
intestinal effect, 1200
Fatty ester mixtures—component identification, 949
^{59}**Fe** effect—blood, bone marrow, rabbits, 487
Feeding study, rabbits—*V. californicum*, 1165
Fetal age—cleft palate induction, inhibition, 766
Fibrinopeptide A, human—synthesis, 1568
Film coated tablets—colorant effect on dissolution, 1245
solubilities, water vapor transmission rate—humidity pretreatment effects, 1335
First-order dissolution rate equation—sink conditions, 1253
Flame photometry—analysis, 134
Flavin mononucleotide—photodegradation, 360
Flow analysis, continuous, discontinuous—automated techniques, 381
properties—compressible starch, 616
Fluocinolone acetonide and fluocinolide, ^{14}C-labeled—percutaneous absorption, 1098
Fluoride determination—multivitamin products, 607
5-Fluorinated pyrimidine-6-carboxaldehydes, derivatives—synthesis, 821
Fluorometry—analysis, 58; 71; 136; 316; 771; 845; 1015; 1033; 1127; 1505
analysis, TLC plates, 1041
Folin reagent—color formation, 141
Force-area characteristics—normal alkyl betaine films, 1228
Forced convection electrodes, 1171
Forces, shear—reduced and increased load, 1403
Fractional factorial design—benzocaine incompatibility, 45
Fragmentation pattern—lysergic acid diethylamide, 506
Freezing point depression, tonicity values compared—37° experimental values, 990
Fructose, glucose, sucrose mixture—analysis, 1224
Fugacities, surface—methylene free energy change calculation, 147
Fungus, mycelial weights—glucose, shake culture effects, 270
Furanocoumarins, linear—spectral studies, 681
Furanosides—self-potentiation, cell growth inhibition, 775
Furazolidone and nifuroxime suppositories—analysis, 1527
Furfural formation—aldopentose acid degradation, 813
Furosemide, ^{35}S-labeled—distribution, excretion, rats, 935
Fusarium *graminearum*—rubrofusarin biosynthesis, 1560

G

Gallate effect—aldehyde oxidation, 262
Gallates, activity—synergists, effect, 626
solubility—cetomacrogol solution, water, benzaldehyde, 889
Gallbladder contraction—C-terminal tetrapeptide, protected, 955

Gastrointestinal absorption rate determination—methodology, 1196
segments, rabbit—1,8-dihydroxyanthraquinone effect, 1289
Gelatin, adsorbed layer—interfacial barrier, 165
General pharmacy, 777
Glass-acetous fiber calomel electrode—acetic acid potential measurements, 308
GLC—analysis, 71; 118; 145; 264; 370; 582; 740; 745; 1007; 1024; 1035; 1089; 1318; 1389; 1493; 1535
electron-capture—analysis, 251
identity, 176; 1413; 1489
reaction monitoring, 1291
separation, analysis, 718
separation, identification, 880; 949; 1157; 1213; 1548
separation, structure, 738
structure, 1030
Glucose—analysis, 1224
effect—*A. niger* salicylate degradation, 270
Glucosides, anthraquinone—aglycone conversion, 197
Glyceryl thioether, ^{35}S-, ^{14}C-labeled—synthesis, 1028
trinitrate sublingual tablets—analytic method, 122
Glycine effect—benzoic, salicylic acid elimination, 321
Goldfish—4-aminoantipyrine absorption, 1005
Gramine biogenesis—literature correction, 1429
in barley—metabolism, 39; 42
Griseofulvin activity, assay—agar, cup *versus* microculture technique, 1362
derivatives—antimycotic, antifungal activity, 1022
disposition kinetics, dogs, 1500
fast-release solid dispersions—preparation, 1505
metabolism, 93
Guppy—toxicity determination, EtO residual, 1007
Gymnopilus *spectabilis*—analysis, 1298

H

Heat of activation, apparent—ampicillin hydrolysis, 447
Heats of activation—aldopentoses, 813
Hemolysis, erythrocytes—water-amide solutions, 1220
mechanism—cationic surfactants, 1378
Hemolytic effect—alkyl chain length, 255
effects—drugs, 1540
Heparin absorption, effects of emulsion composition, 1372
intestinal absorption—surfactant effect, 706
Heptapeptide A_{68}-A_{71} synthesis—abnormal α-hemoglobin component, 1042
Heterogeneous systems—pharmaceutical, 1359
Hexachlorophene—analysis in blood, 251
phenols analysis—4-amino-antipyrine method, 1393
Hexamethonium activity—phenformin effect, 348
Hexylresorcinol - polyvinylpyrrolidone—complexation, 1543
Histamine dihydrochloride, radioactive—dialysis rate, 97
Histaminopexy—*in vitro* determination, 97
HLB determination—surfactants, 1443
Hood systems—nitrogen layering, 242
Hydrazines, hydrazides—metabolic fate, 1433
Hydrochlorothiazide hydrolysis—kinetics, 635
Hydrocortisone hemisuccinate—degradation kinetics, 574
prednisone effect—wound healing, 773
Hydrogen bonding—5-chlorosalicylic acid-theophylline complex, 710
Hydrogenation—stereospecific, 1142
Hydrolysis—citric acid anhydride, 1110
penicillin—mechanism site of complexation, 1471
products, formation—acospectoside A structure determination, 1555
products, presence—sulfacetamide determination, 1258
rate constant, antimycin A_1—pH effect, 316
rates—hydrochlorothiazide, 635
rates—salicylamides, benzamides, 560
Hydrophile-lipophile balance—nonionic surfactants, 1131
Hydroxamic acid-iron complex—stability, 1060
Hydroxyaminolysis, succinimide—mechanism, 1064
Hydroxyindole-*O*-methyltransferase inhibition—*N*-acyltryptamines, 563
substrate binding, 130
Hydroxyl steric position—reaction effect, 813
Hydroxymethylfurfural formation—acid treatment aldose-ketose equilibrium, 1224
Hyoscyamine, scopolamine—separation, determination, 1073
Hyphal growth rates—griseofulvin concentration, 1362
Hypotensive activity—Na diethyldithiocarbamate, 1481
activity—ketoximino esters, ethers, 1382
adrenolytic activity—1,4,5-trisubstituted pyrazoles, 432
Hysteresis—effect of minimum area of compression, 1308

I

Identity tests—mephentermine, 1014
Ileum, guinea pig—endogenous acetylcholine bioassay, 1168
jejunum, isolated—superfusion technique, 671
rabbit—phenethylamine derivatives, effect, 760
Imidazolidine-2,4-diones—synthesis, 1282
Imipramine—anticholinergic activity, 257
^{32}P incorporation—epidermal phospholipids, acid soluble materials, 1209
Incubation time, temperature—microorganism detection, 1301
Indanol derivatives—separation, identification, 880
***N*-[Indenyl(3)]ureas**—synthesis, 47
Indicators, biological—sterility testing, 1301
Indomethacin-PEG systems—dissolution rates, 1190
Industrial Pharmaceutical Technology Committee Report—punches and dyes, 473
Influenza vaccine—protein determination, 141
Infusion equilibrium—i.v. administration, 1133
Inhibition, monoamine oxidase—activity return rate, 1033
Interfacial barrier, effect—transport process, 1341
barrier—hexadecane-water, 165
surface tension determinations—surfactant, salt-surfactant solutions, 1562
tension, dextromethorphan solutions—absorption relationship, 599
Interphase transport—diethylphthalate, 165
transport—experimental aspects, 1330
transport, mechanisms—solubilized systems, 1341
transport—theoretical aspects, 1325
Intestinal absorption, drug—fasting effect, 1200
contractions—rate, interval, amplitude, 1289
segments—bradykinin effect, 971
transport, drug—K^+ effect, 1429
Intracerebral injections—small animals, 1147
Intradermal irritation—toxicity determination, EtO residual, 1007
Intraduodenal administration—heparin, surfactants, 706
Intraventricular injections—rats, chickens, 1147
In vitro dissolution—film-coated tablets, 1335
disintegration times, man—radiopaque, film-coated tablets, 1335
Iodine titration—*n*-butylaminomethanesulfonic acid, colistimethate solutions, 730
vapor—TLC spot visualization, 1552
Iodochlorhydroxyquin formulations—analysis, 232
Ion-activity electrode, specific—fluoride analysis, 607
$(M\text{-}43)^+$, composition—identification, 775
exchange chromatography—separation, 1485
exchange column—separation, 762
pair extraction—amines, 201
pair formation—isopropamide, trichloroacetate, 313
Ionic, nonionic soap complexes—creams, 418
nonionic solutes—extraction mechanism, 201
strength effect—penicillin degradation, 1471
IP patterns, 1403
IR spectrophotometry—analysis, 122; 232; 238; 582; 753; 905; 998; 1464; 1505
identity, 68; 93; 176; 280; 340; 372; 377; 566; 637; 724; 770; 830; 867; 904; 949; 1142; 1193; 1213; 1228; 1297; 1382; 1401; 1411; 1460; 1471; 1489; 1497; 1527
identity, structure, 186; 563; 623; 730; 738; 833; 892; 898
reaction monitoring, 1042
structure, 47; 175; 219; 228; 267; 332; 366; 368; 460; 497; 499; 553; 628; 636; 694; 718; 767; 860; 894; 952; 976; 1030; 1035; 1038; 1282; 1555
structure, identity, 130; 335; 362; 675; 681; 1558
visible spectrophotometry—identity, 1272
Isonicotinic acid hydrazide—metabolism, 1433
Isoprenoids—cantharidin biosynthesis, 1274
Isopropamide absorption—trichloroacetate effect, 313
Isoproterenol activity—mescaline effect, 1169
Isoquinolines, hydrogenation—nickel catalysts, 1238
9-Isothiocyanatoacridine—fluorescent labeling, 1041
Isotonicity determinations—37°, 990
Isotope dilution—analysis method, 134

K

K^+ substitution of Na^+—*in vitro* intestinal transport, 1429
Kinetic analysis—aminorex-^{14}C absorption, elimination, 1516
equation—2 - dimethylaminoethanethiol propionate formation, 684
equations—drug distribution model, 1375
equations—goldfish response, ethanol, 1077
equations—micellar dissolution, 132
equations—one-, two-compartment models, 87
equations—thiol esters, hydrolysis, aminolysis, 687
Kinetics—acetohydroxamic acid formation, ethyl acetate, 1069
ampicillin degradation, 447
base-catalyzed benzylideneaniline reaction, 106
dissolution—nondisintegrating granules, 1265
dose-dependence, -independence, griseofulvin, 1500
hydroxamic acid formation, succinimide, 1064
mechanism—streptovitacin A catalysis, 1203

L

Lactones, bicyclic—synthesis, 894
Lactose effect—capsule dissolution rates, 1120
Lag time—dissolution rates, 1253
Lanthanum—assay interference elimination, 604
LD_{50} determination—2-phenethyl-amino-*l*-phenylethanol, 1553
value—paniculatin, 757
Lead acetate, caffeine precipitation, chromatography—tannin separation comparison, 839
Learning performance, elevated altitudes—phenformin effect, 348
Lecithin monolayers, air-water interface—lysolecithin effect, 864
monomolecular films-phenothiazines—irradiation, 64
Leukocytes—^{59}Fe effect, 487

Lever pressing rate—self-stimulation determination, 128
Lidocaine analogs—local anesthetic, 724
configuration—acyclic *cis* amide, 636
sulfate dihydrate—synthesis, 1297
Light, dark phases—morphine analgesia, 374
effect—tetracycline-riboflavin solution stability, 355
scattering spectrometry—micellar weights, 993
-scattering spectrophotometry—analysis, 1163
Lignosulfonates—antihidrotic activity, 902
Lignin, Brauns'—isolation, identification, 1411
Lincomycin derivatives—hydroxyl groups, reactivity, 1291
Lincomycin-7-monoesters—synthesis, 1389
Lincomycin-2-phosphate—synthesis, 1485
Linear free energy relationship—hydrogen bonding, 661
Lipogenic activity determination—rat preputial glands, 366
Liquid crystal systems, 149
liquid partition method—association constants, 661
scintillation counting—radioactivity determination, 39; 42; 134
scintillometry, whole body—analysis, 502
Liriodenine—isolation, identification, 637
Liver mitochondrial mixtures—aspirin hydrolysis, 102
Lowry protein test—analytic method, 141
Lozenges—benzocaine instability, 45
LSD—pharmacokinetic analysis, 422
Lubricant effect—frictional forces, 248
Lunar phases—morphine analgesia, 374
Lysergic acid diethylamide—analysis, 506
Lysolecithin—lecithin film expansion, 864
Lysosome stability—salicylate effect, 464

M

Mandelic acid—pemoline hydrolysis product, 762
(−)-Mandelic acid urinary excretion—sulfonamide effect, 1318
Mannich bases, bicyclic furans—synthesis, 1030
bases—synthesis, 497
Mannitol isolation, identification—*Cantharellus* species, 1497
solid dosage forms, 1464
Marine pharmaceuticals—review, 1
Mass spectroscopy—analysis, 506
identity, 176; 372; 867; 877; 949; 1413
identity, structure, 186; 637; 1157
molecular weight, 675; 833
structure, 175; 694; 775; 1038
Me_{50} value determination—anticholinergics, 225
Mechanism—thiamine degradation, solid dosage forms, 549
Mefenamic acid polymorphs—dissolution, dodecyl alcohol, 983
Melting behavior—chloramphenicol polymorphs, 963
Membrane binding—labeled histamine, 97
filter extracts, effect—cell cultures, 440
filtration—sterility testing, 277
permeability—polysorbate hydrolysis products, 494
Membranes, phospholipid—mechanical support, 149
Mephentermine sulfate and dosage forms—analysis, 1014
Mephobarbital, diphenylhydantoin tablets—analysis, 747
Meprobamate dosage forms—automated analysis, 1537
Mercapto-triazoles—synthesis, 1398
Mercuric acetate T.S.—reagent, 116
Mescaline-induced bradycardia—adrenergic blockade effect, 1169
Metabolic effects—adrenergic-blocking agents, 511
Metabolism, brain—age effect, 885
dogs—griseofulvin, 93
in vitro—deuterio-*l*-amphetamine, d_1 SO_4, 189
Metabolite excretion—griseofulvin, 1500
Metabolites, aminoethanesulfonylphenetidine—rabbit plasma, urine, 1217
gramine—isolated, identified, 42
griseofulvin—isolated, identified, 93
Metabolites—isolated, identified, 867
penicillins, 643
Metal ion effect—ergot alkaloid biosynthesis, 143
Metastable polymorphs—preparation, 911
Methacholine spasmodic activity—anticholinergic agent effect, 225
Methanol methylene Cl solvent—oxazepam determination, 1530
Methiodides of mono- and dioximes—synthesis, 460
Methodology—polymorphism determination, 911
Methods, sterility testing—pharmaceuticals, 1301
9 - Methyl - 10 - benzyl - 9,10 - dihydroacridine—benzyl group migration, 335
Methyl isobutyl ketone—silicone extraction, 455
orange—color reagent, 258
1 - Methyl - 2 - isopropyl - 5 - nitroimidazole—determination, feed premix, 55
2-Methyl-3-phenyl-3H-4-quinazolone derivatives—synthesis, 1295
Methylation—gas chromatograph flash heater, 370
1-Methylinosine, urine—isolation, identification, 75
Methylphenidate—anticholinergic activity, 257
Methylprednisolone Polymorph II—surface reversion, Polymorph I, 1145
4-(Methylthio)phenyl ester—peptide synthesis, 1299
Metronidazole dosage forms—analysis, 1401
Mevalonate, acetate, radioactive—cantharidin biosynthesis, 1274
Micellar dissolution—nonsink conditions, 132
solubilization—testosterone, 68
weight determination—anhydrous, hydrous hydrocarbon systems, 993
Microbial contamination—ophthalmic antibiotic testing, 277
Microbiological analysis—artificial sebum, 582
assay—seed layer dye, 505
Model—interphase transport, 1325
one-compartment—drug absorption, 1516
system—two-compartment, open, 327
thiamine degradation tablets, 549
three-compartment—administration route influence, plasma concentration-time curve area, 1477
three-compartment—drug distribution, 1375
two-compartment data—one-compartment analysis, 87
Models, multicompartment—selection, data fitting, 422
Molar attraction constants—additivity, 1281
Molecular properties—protective enteric film formers, 1493
Monoamine oxidase inhibitors—synthesis, 998
oxidase inhibitors—tetrahydro-β-carboline analogs, ^{14}C-labeled, 1423
oxidase (MAO) inhibitors—synthesis, 219
oxidase, newly synthesized—rat liver, 1033
Monolayer films—membrane models, 149
Monostearin removal, dienestrol creams—urea inclusion compound, 1262
Montmorillonite—water systems, rheology, 714
Morphine analgesia—daily response rhythm, 374
Motor activity, elevated altitudes—phenformin effect, 348
Mucopolysaccharides synthesis—salicylate effect, 464
Multivitamin products—fluoride analysis, 607
Muscarinic, antimuscarinic activity—BTM, 671
Mydriasis, mice—absorption, dose-response indicator, 313

N

Na diethyldithiocarbamate—renal hypertension, rats, 1481
Naphthalene-1,4-diboronic acid, derivatives—synthesis, 368
β-Naphtholbenzein—indicator, 1014
Nervous system—adrenergic-blocking agent effect, 511
Neurotoxicity, drug-induced—measurement, 900
Niacinamide dosage forms—analysis, 1117
in multicomponent products—analysis, 749
Nicotine analog, pyrrolidine substituted—synthesis, 860
Ninhydrin—color reagent, 235
5-Nitro-2-alkylisoquinolinium salts—hydrogenation, 1238
Nitrofurantoin—urinary excretion, 1365
Nitrogen layering—oxidation protection, 242
Nitroimidazoles, *N*-1-substituted—analysis, 55
Nitrous acid—reagent, 1127
NMR spectroscopy—analysis, 714
identity, 93; 176; 337; 340; 724; 830; 877; 904; 949; 1213
identity, structure, 50; 186; 335; 362; 623; 637; 675; 681; 730; 833; 892
structure, 47; 175; 189; 267; 332; 366; 370; 432; 490; 499; 505; 553; 628; 694; 718; 767; 860; 894; 952; 1026; 1030; 1035; 1139; 1282; 1389; 1485; 1555
Nonionic surfactants, HLB balance—Davies, Griffin methods compared, 1131
Nor_1- and nor_2-chlorpromazine derivatives—synthesis, 267
Norcaperatic acid isolation, identification—*Gomphus kauffmanii, G. floccosus*, 1497
Nucleic acid biosynthesis—inhibition, 821
Nucleosides—human urine, 75
Nylon membrane—permeability characteristics, 753

O

Oil, bacterial growth—PEG 300 effect, 275
phase, micron-sized spheres—infinite diffusion layer, production, 1341
Ointment bases—creep testing, 412
Ointments, sorbic acid derivatives—antifungal activity, 942
Ophthalmic antibiotic ointments—sterility testing, 277
Optical rotation—analysis, 538
identity, 280; 1142; 1299; 1568
Optical rotatory dispersion method—association constants, 661
Organochlorine insecticides—acute toxicity, 569
Organophosphorus-inhibited cholinesterase—reactivators, 857
Overturn time, goldfish—biologic assay, 721
Oxazepam dosage forms—analysis, 1530
Oxazolidines, alcohol derivatives—synthesis, 499
Oxidative-phosphorylation uncoupling—salicylate effect, 102
Oxime levels—blood, urine, 1093
Oximino ethers—dialkylaminoalkyl derivatives, 138
Oxygenases—ergot alkaloid biosynthesis, 143
Oxygen content—nitrogen layered vials, 242
flask combustion, organic material—selenium determination, 1524
uptake, aldehydes—surfactant effect, 262

P

Palladium-on-poly-γ-benzyl-*S*-glutamate and poly-β-benzyl-*S*-aspartate—synthesis, 1142
on-poly-*S*-leucine—α-methylcinnamic and α-acetamidocinnamic acid hydrogenation, 1419
Paniculatin—*Ipomoea digitata* glycoside, 757
Panthenates, panthenol—separation, determination, 718
Paper chromatography—identity, 316
chromatography—purity testing, 1568
chromatography—separation, identification, 75, 675, 703, 1272
Paraben solubility—ethanol-water mixtures, 364

solubility—alcohols, 216
solubility—dioxane-water mixtures, 204
Parameters affecting—dissolution kinetics, 1265
Parathyroid extract effect—calcium retention, 502
Particle size, aerosols—parameters affecting, 484
size determination—spray-dried powder, 125
size—dispensing efficiency, 245
size distribution—emulsion systems, 165
size effect—absorption rate, aspirin-induced bleeding, 1277
size effect—capsule dissolution rates, 1120
Partition chromatography—separation, 749
coefficient effect—oil-water diffusion system, 1325
coefficients—isopropamide, 313
coefficients (o/w)—diethylphthalate, 165
rates, ergotamine tartrate—caffeine effect, 222
Partitioning salicylates—cocoa butter-water, 980
theory—ethanol transport, 1077
Passive diffusion—dextromethorphan absorption, 599
Pellet surface area—dissolution effect, 428
Pemoline, biological fluids—analysis, 762
Penamaldate formation—penicillin, 643
Penetration, *in vivo,* correlation—*in vitro* release rates, 579
Penicillamine—penamaldate degradation product, 643
Penicillenic acid formation—penicillin degradation, 643
Penicillin allergy—chemical aspects, 643
hydrolysis—cupric ion-catalyzed, 1471
penicilloamide-$HgCl_2$ reaction—kinetics, 1137
stearic acid formulations—stability, 631
trace amounts—analysis, 1041
hydrolysis—aminoalkylcatechols, catalysts, 1102
Penicilloamides—principal penicillin antigenic determinants, 643
Penicilloic acid—penicillin hydrolysis product, 643
acid, penicilloamides, combination—kinetic analysis, 1137
Pentachlorophenyl esters—peptide synthesis, 281
cholecystokinin related—gallbladder-intestinal contraction, gastric secretion, 955
synthesis, 281, 1042
Perchloric acid—titrant, 1014
Percutaneous absorption—apparatus, *in vitro* determination, 210
absorption—enhancement, 1098
Perfused intestine—drug absorption, 1200
Perfusion pressure, placenta—angiotensin effect, 592
technique—*in situ* isolated brain, 885
Pericalline—identity confirmation, 280
Periodate oxidation—phenethanolamine determination, 1489
Peritoneal dialysis—acceleration, additives, 595
Permeability constant—benzalkonium Cl-polyamide system, 842
Peyote alkaloids, 1157
pH effect—2-dimethylaminoethanethiol formation, 684
effect—ergotamine tartrate solubility, 222
effect—erythrosin and erythrosin-PVP solutions, 1425
effect—penicillin degradation, 1471
effect—ring opening, salicylamides, 1414
effect—salicylamides, benzamides hydrolysis, 560
effect—thiol ester hydrolysis, 687
profile—ampicillin solution degradation, 447
profile—hydrochlorothiazide, 635
stability profile—penicillins, 1510
stat method—rate constants, 1069
temperature effects—normal alkyl betaine films, 1228
Pharmaceutical compounds—interactions, 301
preparation contamination—determination, 1532
sciences literature review, 1968, 777
technology—dosage forms, packaging, 777
oxidation protection, 242
Pharmacogenetics—hydrazide metabolism, 1433
Pharmacokinetic—administration route effect on plasma concentration-time curve area, 1477
benzoic, salicylic acids, simultaneous glycine conjugation, 321
comparison—warfarin elimination, rat, dog, monkey, man, 845
instantaneous, constant-rate drug administration, 327
model—two-compartment, 193
models—pharmacologic effects, 422
parameters—two-compartment open model, 1133
Pharmacologic response—kinetics, 1077
Pharmacological activity—1,3-diiminoisoindolines, 496
effects—2-PAMCl, 1093
properties—2-benzoxazolinones, 1043
response, comparative—time profile, 1453
screening—*A. millefolium* extracts, 938
screening—aryloxyacetamidines, 50
screening—1,5-benzodiazocin-2-ones, 830
screening—bicyclic furan Mannich bases, 1030
screening—2 - (3 - biphenylyl)ethylamines, 952
screening—β-carbolines, MAO inhibitors, 219
screening—cardiac aglycone derivatives, 228
screening—imidazolidine-2,4-diones, 1282
screening—local anesthetics, 553, 896
screening—oximino ether derivatives, 138
screening—paniculatin, 757
screening—β-phenethylamine derivatives, 1558
screening—thyroxine analog, 1139
Pharmacology—marine pharmaceuticals, 1
Phenethanolamine in biological specimens—determination, 1489
Phenethylamine derivatives—α-adrenergic blocking, 760
salsoline—isolation, identification, 1413
sulfur derivatives—synthesis, 1558
2 - Phenethylamino - 1 - phenylethanol—toxicity, *in vivo* inhibition and metabolic fate, 1553
Phenformin effect, rats—simulated high attitudes, 348
Phenobarbital interaction—deoxycholic acid, theophylline, quinine, caffeine, atropine, 301
Phenolic alkaloids—analysis, 370
salicylamides—synthesis, 1414
Phenothiazine compounds—photosensitivity, 64
and dosage forms—analysis, 1011
surface activity—UV irradiation effect, 1232
Phentolamine effect—sympathomimetic amines, activity, 882
Phenylethyl alcohol—analysis in dosage forms, 118
Phosphate buffer effect—erythrocyte hemolysis, 1220
Phospholipid cell-membrane models, 149
release—cell lysis, 1378
Phosphomolybdic acid solution—spot visualization, 887
Photodensitometry, direct—quantitative analysis, 1073
Photometric titration—phenothiazines, 1011
Photomicrographs—antihypertensive salt crystals, 377
Photoreaction—halogen substitution, 64
Photosensitization, phenothiazines—surface activity relationship, 1232
Phototoxic index—determination, 64
Physical pharmacy, 777
properties, reactions—2-benzoxazolinones, 1043
Physico-chemical properties, penicillins—biological activity relationship, 1510
Pickup efficiency—nonmetered aerosols, 245
Pilocarpine-induced sweating—lignosulfonates effect, 902
pKa—streptovitacin A acid-catalyzed dehydration products, 1203
Placenta, human—angiotensin perfusion, 592
Placental, uterine vessels—serotonin, angiotensin, bradykinin effect, 406
Plants—2-benzoxazolinones, isolation, 1043
marine, 1
Plasma-body drug concentration relationship—β-phase, 193
Plasma concentration-time curve area—administration route, 71
concentration-time curve area—administration route influence, 1477
curve area—$(V_d)^\beta$ relationship, 193
levels—griseofulvin, i.v. administration, 93
mebutamate, carisoprodol, tybamate determination, 145
protein binding—**BHC** distribution, elimination, 1001
urine—dantrolene, metabolite determination, 987
Plastic syringes—water removable silicone, 455
Plasticizers, interaction—poly(methyl vinyl ether/maleic anhydride), 1493
Plastics, sterilized—ethylene oxide (EtO) residual, 1007
PMR spectroscopy—structure, 636
Polarimetry—identity, 1139
reaction monitoring, 1291
Polarity—paraben solubility, 364
Polarography—analysis, 122, 1117, 1530
differential pulse—analysis, 987
organic—analysis, 1262
Poly (methyl vinyl ether/maleic anhydride) effect—evaporation, 1493
tablet film coating, 1335
Polyamide, polyethylene sorption—chlorobutanol-^{14}C, 930
Polycarboxylic acids, aliphatic—detection, separation, 887
Polyethylene glycol 300 (PEG 300) effect—bacterial spores, 275
Polymer disk dissolution—surface phenomena, 586
film dissolution viscosity—colorant effect, 1245
modification, solid state—anhydride to acid conversion, 1335
monolayers—plasticizer penetration, 1493
forms—indomethacin, sulfathiazole, 1190
reversion—methylprednisolone in water, 1145
Polymorphism—pharmaceutical applications, 911
Polyoxyethylene lauryl ether—micellar solution, 132
moiety, surfactants—**HLB,** cloud points, 1443
Polypeptides, sequential—synthesis, 976
Polysorbate 80 effect—membrane permeability, 721
80 effect—SK & F 33134-A-^{14}C solubility, *in vivo* availability, 1242
fatty acid components—secobarbital absorption, 494
Polyvinylpyrrolidone, interaction—sodium erythrosin, 1425
Post-infusion period—plasma concentration, 1133
Potassium, exchangeable—diuretic effect, 134
permanganate solution—spot visualization, 887
Potentiometric determination—titration end point, 116
titration—acidity measure, 308
Potentiometry *versus* voltammetry, 1171
Powder interaction—absorption effect, 83
Powders—shear cell measurement, 1403
Prazepam-^{14}C metabolism—dogs, 960
Pre-micellar surfactant concentration—dissolution rates, 1368
Pressor bioassays, dogs—chlorisondamine stabilization, 1417
Pressure effect—isoquinolines hydrogenation, 1238
Procaine penicillin G—decomposition products, detection, 1357
Progestins, estrogens in dosage forms—quantitative determination, 740
Pro-oxidation effect—gallates-synergists, 626
Propellants, aerosol—chill-index effect, 481
Propionyl thiocholine iodide—hydrolysis, aminolysis rates, 687
Protamine sulfate—molecular weight determination, 1163
Protein binding—labeled histamine, 97
binding, thiopental—trichloroacetate effect, 1567
phospholipid systems—aqueous media, 149
Proteolytic activity—trypsin inhibition analysis method, 457
Protio and deuterio-*l*-amphetamine, d_1-SO_4—comparison, 189
Proton resonance spectroscopy—*N,N*-dimethyl-9-carboxamido-9, 10-dimethylacridane, 1026

Prunus serotina—tannin extract, 1272
Pseudocholinesterase—ATC esterolytic hydrolysis, 557
Psychometric testing—benzphetamine HCl effect, 1453
Punch, lower—pulldown force, 248
Punches and dyes—standard specifications, 473
Pyrazolidinylacylanilides and precursors—synthesis, 724
2-Pyridine aldoxime methochloride (2-PAMCl)—oxime blood levels, 1093
Pyridinecarboxylic acids, hydroxypyridines interaction—structure effect, 699
1-Pyridyl-2-phenylethanes, hydroxyimino methiodides—synthesis, 857

Q

Quercetin, di- and thymoquinone effect—histamine binding, 97
Quinacrine HCl and tablets—analysis, 116
Quinidine gluconate injection—transformation product, 770

R

Radiation-protective agents, mammalian—review, 283
agents—thiols, derivatives, 352
Radioactive ATP—cyclase activity analysis, 358
Radioautography—analysis, 39
Radiochromatography—analysis, 1098
Radiometric determination—ring opening, salicylamides, 1414
Radiotherapy—radiation-protective and sensitizing agents, 283
Rate constants, second-order—ester hydrolysis, 1150
Read-out devices—automated methods, 381
Rectal suppositories—weight variation, 112
Reflectance measurements—analysis, 1464
Refractive index increment—protamine sulfate solution, 1163
index—micellar solutions, 993
indexes—dimethyl sulfoxide–water mixtures, 946
Refractometry—analysis, 58
Release rates salicylates—continuous flow cell, 980
rates—sustained-release dosage forms, 1287
Reserpine—blepharoptosis, 273
cholanic acid coprecipitate—blepharoptotic activity, 1457
single tablet analysis, 1127
Respiratory stimulation—elevated altitude hypoxia, 348
Retinoic acid effect—drug-retarded wound healing, 773
Riboflavin, riboflavin-5′-PO_4—plasma protein binding, 58
Rotary tablet machines—lower punch frictional forces, 248
Rotating, stationary rod—neurotoxicity measurements, 900
Rubrofusarin, biosynthesis—polyketide chain intermediate, 1560

S

S. capitellatum roots—coumarin extraction, 675
Salicylamide-caffeine complex—transfer rate, 79
Salicylamide dosage forms—absorption, dissolution rates, correlation, 1468
N-substituted derivatives—stability, 560
cyclic—ring opening, 1414
Salicylate activity—mechanism, 102
binding—saliva proteins, 771
^{14}C-tagged—dialysis removal, 595
degradation—*Aspergillus niger*, 270
excretion—salicyluric acid formation rate effect, 827
salicylamide transfer—EDTA, sodium taurodeoxycholate, 967
transfer—Na taurodeoxycholate effect, 425
action mechanism, 464; 1152
release rates, cocoa butter, 980
Salicylic acid absorption—polysorbates 20, 40, 60, 80 effects, 1285
acid analysis—buffered tablets, 120
acid effect—hippurate, benzoyl glucuronide formation, benzoic acid, 321
acid effect—wound healing, 773
acid, nondisintegrating tablets—test material, 132
Salicylurate formation—aspirin dose relationships, 503
Salicyluric acid—elimination kinetics, 827
Saliva proteins—ninhydrin test, 771
Sample combination—release rates, 1287
Sampling procedures—sterility testing, 1301
techniques—suppository weight variation, 112
Saponins, extraction—*Agave schottii*, 589
Schematic diagram—ascorbic acid automated analysis, 477
Schiff-base derivatives—2-amino-2-methyl-1-propanols structure, 767
Schiff bases—synthesis, 106
Scintillometry—analysis, 595; 1098; 1106; 1209; 1234; 1242; 1330; 1516
liquid—analysis, 572; 867; 930; 960
liquid—radioactivity analysis, 703
liquid—radioactivity determination, 909; 935
liquid—radioactivity, purity, 1028
Scopolamine, hyoscyamine—tropine, ^{14}C-tropic acid incorporation, 703
Screening methods—radiation-protective agents, 283
Secobarbital absorption—goldfish, 494
Seed layer detection—dye method, 505
Selenium determination—trace amounts, 1524
Sensitizing agents—radiation, 283
Serosal, mucosal response—Na taurodeoxycholate, 425
Serotonin levels—acute ascariasis, 279
norepinephrine—simultaneous tissue extraction, 572
sulfur analog—synthesis, 892
teratogenic effects, mice, 406
Serum, human—NaCl solution osmotic equivalency, 990
Sesquiterpenes, aromatic—reunion vetiver oil, 738
Shear cell—procedures for use, 1403
continuous, creep—ointment viscoelasticity, 412
Silicone lubricant, plastic syringes—analysis, 455
β-**Sitosterol**—isolation, identification, 1411
Skin surface lipids—analysis, 582
Sodium chloride effect—erythrocyte hemolysis, 1220
chloride equivalents—drugs, 1540
fluoride effect—thiopental hyperglycemia, 260
iodate effect—thiopental hyperglycemia, 260
lauryl SO_4 effect—chloramphenicol absorption, 210
^{24}**Sodium,** placental transport—autocoids effect, 406
Solanum carolinense—antimicrobial extract, 379
Solasodine determination—*Solanum sodomaum* and *S. laciniatum*, 258
Solid dosage forms—water-soluble drug degradation, 549
Solubility analysis—spectrophotometer, 699
aqueous—alkyl group effect, 337
differences—crystalline forms, 377
effect—reserpine activity, 273
method—association constants, 661
methylprednisolone polymorphs, 1145
relation—antioxidant activity 889
sulfathiazole-PVP coprecipitates, 538
Solvency-hydrogen bonding interactions—nonaqueous systems, 661
Solvent effect—phase transfer thermodynamics, 201
effects—stability constants, complexes, 661
penetration—polymer swelling, 586
system effect—ultrasonic degradation, aspirin, 62
Sorbic acid *N*-substituted amide, amine salts—synthesis, 942
Sorption rates, nylon, polyethylene-chlorobutanol-^{14}C, 930
Soybean plants—1-^{14}C-2,3,5-triiodobenzoic acid residues, 1234
Specific rotation—purity determination, 189
Specifications—suppository weight uniformity, 112
Spectral data correlation, IR—aryl boronic acids, 368
Spectrodensitometry—TLC spot analysis, 1527
Spectrophotometry—quantitation of dye, 1425
Spironolactone—antidigitoxin activity, 1055
Spray-dried powder—sustained-action matrix, 125
Stability, aspirin dosage forms—kinetic ranking, 1359
benzalkonium Cl-urea tablets, 238
carbachol solutions, 602
chemical—polymorphism, 911
directly compressible starch dosage forms, 616
erythromycin salts—acid strength, salt formation, 337,
erythrosin solutions, 1425
griseofulvin solid dispersions, 1505
hexylresorcinol—PVP effect, 1543
hydroxamic acid-iron complex—factors affecting, 1060
montmorillonite-water systems, 714
Starch, directly compressible—tableting properties, 616
Stationary electrodes—quiet solution, 1171
Steady-state distribution terms—use, limitations, 639
Stearic acid effect—penicillins, stability, 631
acid monomolecular films—effect of compression rate, 1308
Stereo-chemical aspects—adrenergic-blocking agents, 511
Sterility testing—pharmaceuticals, 1301
Steroid solubility—ethoxylated cholesterol, 850
Streptovitacin A dehydration—catalysis, 1203
Structural changes—powder bed, 1403
Structure-activity relationship—*N*-acyltryptamines, 563
relationship—monoamine oxidase inhibition, 998
relationship—phenethylamine derivatives, 760
relationship—triazole, rings 1398
relationship—acetylcholinesterase reactivators, 460
relationship—flavonoid antagonism polypeptide activity, 621
Structure, bile salts—cholestyramine binding, 179
effect—phenol-dye interaction, 1393
Succinimide analysis—hydroxamic acid-iron complex, 1060
hydroxyaminolysis, 1064
Sulfacetamide solutions—analysis, 1258
Sulfamethazine—absorption, 207
2-Sulfamoylcinnamic acid alkyl esters, related compounds—synthesis, 332
Sulfanilamide reagent—diazotization, imidazole hydrolysis, 55
Sulfathiazole-PVP-coprecipitates, 538
urea systems—dissolution rates, 1190
Sulfhydryl-thiol affinity—rate assay, 1155
Sulfonamide urinary excretion—(−)-mandelic acid effect, 1318
N^1,N^4-(5-nitro-2-pyridyl)-substituted—synthesis, 907
sulfonamide mixtures—analysis, 1261
Sulfonic acid cation exchange resins, degree of crosslinking and particle size, 1550
Surface activity—CMC-HLB relationship, 1131
area effects—dissolution rates, 1253
interfacial tension—salts effect, 1562
pressure, phenothiazines—UV irradiation effect, 1232
pressure relaxation—stearic acid monolayers, 1308
tension—*N*-alkyl betaine concentration, 147
tension-concentration relationship—surfactants, 1521
tension effect—secobarbital absorption, 494
tension lowering—reserpine activity effect, 1457
Surfactant effect—alkaloid extraction, 1085

effect—flavin mononucleotide photodegradation, 360
effect—testosterone dissolution, 68
drug absorption, 967
in ointments—absorption effect, 1209
interference—hexachlorophene, phenols analysis, 1393
long-chain, nonionic—surface, micellar properties, 1521
micellar—arylsulfate binding, 33
nonionic—HLB, cloud points, 1443
physiologic—dosage form dissolution, 1368
physiologic—drug absorption effect, 425
sulfated, sulfonated—heparin absorption, 706
Suriana maritima stem wood—phytochemical investigation, 1411
Susceptibility patterns, mice—morphine analgesia, 374
Sustained-action tablets—spray-drying technique, 125
Sustained release dosage forms—aminorex-^{14}C, 1516
Sympathomimetic amines—adenyl cyclase activation, 358
amines—*in vitro* activity, 882
***syn* - *o* - Trifluoromethylbenzaldoxime** - conformation, configuration stability, 490
Synthesis, 3-demethylmescaline—structure confirmation, 1157
Systemic, perfused limb pressures—BTM effect, 671

T

Tablet, capsule dissolution rates—apparatus comparison, 611
Tableting tools—quality control standards, 473
Tablets, benzalkonium Cl-urea—physical properties, 238
capsules—percent dissolved-time plots interpreted, 1253
sulfathiazole release rates—PVP effect, 538
Tannin separation—antitumor plant constituents, 839
Target-aerosol distance—pickup efficiency, 245
Taurodeoxycholate, Na—nonionized 4-amino-antipyrine absorption, 1005
Temperature dependence—membrane-surfactant binding, 1378
Temperature effect—*Cassia acutifolia* extraction, 1135
cholestyramine binding, 179
isoquinolines hydrogenation, 1238
nylon, polyethylene sorption, chlorobutanol-^{14}C, 930
penicillin degradation, 1471
pickup efficiency, 245
viscoelastic parameters, creams, 418
viscoelastic properties, 412
Tensiometry—absorption analysis, 83
Teratogenic effects, mice—autocoids, 406
C-Terminal octapeptide—gallbladder-intestinal contraction, gastric secretion, 955
tetrapeptide, protected—gastric secretion, 955
Testosterone dissolution—aqueous solution, 68
methyltestosterone, testosterone propionate—solubility, 850
Tetracycline, anhydrotetracycline, and 4-epi-derivatives—simultaneous determination, 443
HCl tablets—analysis, 470
riboflavin solution—stability, 355
pH-partition behavior, 1184
Tetrahydro-β-carboline analogs—substitution effect, 1423
6 (or 8)-substituted and 9-methyl analogs—synthesis, 998
5,7,3′,4′-Tetrahydroxyflavan-3,4-diol, monomeric, polymeric—extraction, identification, 1272
Tetrofuranosyl adenines—biological activity, 1275
Theoretical equations—pharmacologic response, 1077
Thermodynamic values—chloramphenicol palmitate, mefenamic acid polymorphs dissolution, 983
N-alkyl betaines interfacial adsorption, 147
Thiamine degradation, tablets—moisture effect, 549
Thiazolyl thiocarbanilides—synthesis, 852
Thiol affinity—sulfhydryl-reactive agents, 1155
ester formation—kinetics, 684
bradykinin activity potentiation, 971
derivatives—catalase, lactate dehydrogenase inhibition, 352
Thiopental—hyperglycemic effect, 260
sleeping time—trichloroacetate effect, 1567
Thixotropic behavior—montmorillonite-water systems, 714
Thyroidectomy—barbiturate lethality, 183
Thyroxine analogs—synthesis, 1139
Time effect—compressed lecithin film, lysolecithin subsolution, 864
Tissue extraction—serotonin, norepinephrine, radioactive, 572
plasma levels—furosemide, 935
Titration, nonaqueous—analysis, 116
Titrimetry—analysis, 1193
TLC—analysis, 443; 566; 960; 1234; 1505
analysis confirmation, 1537
analysis—penicillin G, procaine, 1357
identification, 39; 42; 93; 197; 235; 264; 372; 566; 589; 637; 703; 867; 880; 898; 904; 1028; 1064; 1217; 1378; 1389; 1413; 1485; 1497; 1532; 1545; 1552; 1555
reversed phase partition—detection, separation, 887
separation, 39; 42; 93; 235; 372; 443; 623; 637; 703; 764; 833; 867; 877; 880; 904; 960; 1038; 1064; 1073; 1217; 1234; 1378; 1389; 1413; 1485; 1497; 1527; 1532; 1545; 1555
Tolerance limits—suppository weight variation, 112
Topical vehicles—drug release, penetration, 579
Transesterification, fatty esters—HBr in diethyl ether, 949
Transfer, passive—4-aminoantipyrine, 1005
Transformation, chloramphenicol polymorphs—kinetics, 963
Transport, mouse brain—tetrahydro-β-carboline substitution effect, 1423
Triazenoimidazoles, 1193
***v*-Triazolinium** salts—analysis, 1193
Tribenzylamine—internal standard, amine analysis, 745
Trichloroacetate role—pharmaceutical formulations, 1567
Trihalogenated monohydroxy alcohol esters—synthesis, 500
2,3,5-Triiodobenzoic acid metabolism—soybeans, 1234
Triiodothyronine thyrotoxicosis—barbiturate lethality, 183
Trimethylanilium hydroxide—methylating agent, 370
1,4,5-Trisubstituted pyrazoles—synthesis, 432
Tromethamine - benzylpenicillin - poly - L-lysine reaction products—analysis, 1137
Tropane alkaloid production—*Datura Stramonium* tissue suspension cultures, 703
Tropolone, desmethylimipramine effect—epinephrine activity, 253
Trypsin inhibition—mercury compounds, 457
Tryptophan—gramine metabolite, 39
relation—gramine biogenesis, 1429
Tuberculosis chemotherapeutic agents, 852
Tulipinolide—isolation, identification, 877
Turbidimetric analysis—bacterial suspensions, 836
analysis—spectrophotometer, 706
Tyramine, ephedrine atrial stimulation—chlorpheniramine, pyrilamine, cocaine effect, 1313

U

Ultrafiltration—protein-flavin binding determination, 58
Urea-benzalkonium Cl tablets—direct compression, 238
Ultrasonic degradation—aspirin, mixed solvent systems, 62
extraction—*Cassia acutifolia,* 1135
Uridine-5′-diphosphoglucose dehydrogenase—anti-inflammatory agents effect, 1152
Urinary excretion, sulfonamides, (−)-mandelic acid—mutual inhibition, 1318
excretion—unchanged amphetamine, 508
Urine—mebutamate, carisoprodol, tybamate determination, 145
Uteri, ileal segments—sympathomimetic amines, effect, 882
Uterus, rabbit—phenethylamine derivatives, effect, 760
UV light—chromatographic spot visualization, 443, 764, 880
film-drug irradiation, 64
TLC spot visualization, 197; 1552
UV spectrophotometry—structure, 460
aldopentoses, furfural degradation monitoring, 813
analysis, 33; 62; 75; 120; 165; 179; 204; 210; 216; 232; 316; 321; 352; 377; 443; 457; 464; 470; 484; 491; 538; 560; 569; 699; 740; 747; 749; 753; 762; 842; 845; 850; 980; 983; 1033; 1064; 1110; 1114; 1120; 1137; 1152; 1184; 1196; 1203; 1285; 1318; 1330; 1359; 1368; 1464; 1489; 1505; 1535; 1545
distribution monitoring, 1375
hydrolysis determination, 1102
identification, 39; 176; 186; 335; 340; 372; 440; 563; 631; 675; 681; 738; 830; 833; 857; 877; 1401; 1411
method—association constants, 661
reaction monitoring, 106, 684, 1155
structure, 47; 186; 219; 335; 432; 490; 553; 628; 675; 681; 738; 833; 857; 860; 894; 1038

V

Vanillin—color reagent, 469
Vapor phase chromatography—analysis, 1238
phase chromatography—separation, analysis, 724
pressure osmometer—analysis, 990
Vehicle solubilizing effect—dexamethasone release, 579
Ventriculocisternal perfusion—drug administration, 1106
Veratrum californicum—nonteratogenicity, rabbits, 1165
Viscoelastic properties—creams, 418
properties—ointment bases, 412
Viscosity—dimethyl sulfoxide–water mixtures, 946
Visible spectrophotometry—identity, 637; 904
Volatile: nonvolatile vehicles—percutaneous absorption, 1098
Voltammetry, single sweep peak, 1171
Volume of distribution relationship—plasma, body drug concentration, 193
terms—pharmacokinetic definitions, 639

W

Warfarin elimination—pharmacokinetics, 845
Water absorption—solids in lipophilic bases, 83
determination—natural products, 1089
Weight uniformity—rectal suppositories, 112
Wiley method—release rate calculations, 1287
Wound healing—tensile strength, 773

X

Xanthine bases—analysis, 370
X-irradiation, whole body, head—effect comparison, 128
X-ray crystallography—structure, 628
diffraction—identity, 68
diffraction patterns—identity, 377
diffraction—sulfathiazole-PVP coprecipitates, 538
powder patterns—compound interaction, 301

Z

Zinc pyrithione, selenium sulfide—activity comparison, 1279